

# Colour Selector

The Colour Selector contains products that are for use on interior and exterior applications. It includes warrantable products up to 10 years and non-warrantable products.

|          | NON-HABITABLE | RESIDENTIAL<br>←4 LEVELS | RESIDENTIAL<br>→3 LEVELS | COMMERCIAL<br>←4 LEVELS | COMMERCIAL<br>→3 LEVELS | PRESTIGIOUS<br>COMMERCIAL | MONUMENTAL |
|----------|---------------|--------------------------|--------------------------|-------------------------|-------------------------|---------------------------|------------|
| INTERIOR | •             | •                        | •                        | •                       | •                       | •                         | •          |
| EXTERIOR | •             | •                        |                          |                         |                         |                           |            |

**Dulux World of Colour®**  
Powder Coat Series  
Australian Collection




# Dulux Powder Coat Colour Selector

**DURALLOY®**  
POWDERCOAT RANGE




Subtle and neutral solid colours including the Colorbond® steel standard colour range delivered with warranty grade\* advanced durable polyester thermosetting powder. See product suitability tables for recommended usage.



PEARL WHITE  
Gloss 2721114G    Gloss 2601229G




CLASSIC PEARL WHITE  
Gloss 27281880    Gloss 2601228G



BRIGHT WHITE  
Gloss 26084636    Gloss 27284636



EVENING HAZE®   
Satin 2723055S    Matt 2603168M



OYSTER  
Matt 26036858    Matt 27236858



SURFMIST®   
Satin 2721137S    Satin 2601137S   
Matt 2603167M



GREY NURSE  
Gloss 26050060



COVE®   
Satin 2606250S    Matt 2606252M



APO GREY  
Satin 26032786    Satin 27232786



ANOTEC® SILVER GREY  
Matt 27251272



SHALE GREY®   
Satin 26083246    Satin 27283246  
Matt 2607557M



PALE EUCALYPT®   
Satin 2606127S    Matt 2606303M



WINDSPRAY®   
Satin 2607256S    Satin 2727256S  
Matt 2607559M



DUNE®   
Matt 2607558M    Satin 2723087S  
Satin 2603087S



WEDGEWOOD  
Satin 27250279



WILDERNESS®   
Satin 27284224



OLDE PEWTER  
Satin 26050243    Satin 27250243



STONE GREY  
Satin 26078126    Satin 27278126



BLUE RIDGE®   
Satin 27288480



MANGROVE®   
Satin 2606262S



NOTRE DAME  
Gloss 26036672    Gloss 27236672



WALLABY®   
Satin 2607474S    Matt 2607476M



DEEP OCEAN®   
Satin 2605125S    Satin 2725125S  
Matt 2605267M



COTTAGE GREEN®   
Satin 26084219    Satin 27284219  
Matt 2606304M



BERRY GREY  
Satin 26088362    Gloss 2727262G



BASALT®   
Satin 2607473S    Matt 2607475M



CHARCOAL  
Satin 26088351    Satin 27288351  
Gloss 2729086G



CLASSIC HAWTHORN GREEN  
Gloss 27233709



IRONSTONE®   
Satin 2607257S    Satin 2727257S  
Matt 2607556M



ANOTEC® DARK GREY  
Matt 2725127S    Matt 2607538M









BLACK  
Gloss 2609132G    Gloss 2729090G



DEEP BRUNSWICK GREEN  
Gloss 2606134G    Gloss 2726134G

RapidCure Technology enables a possible reduction in energy consumption through lower cure temperatures, and or faster line speeds.



Colorbond® and the Colorbond colour names are registered trademarks of Bluescope Steel Limited.

|                                                                                                     |                                                                                           |                                                                                                 |                                                                                                  |
|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
|                     |           |                |                |
| WHITE<br>Satin 2721139S    Satin 2601139S <span>RC</span>                                           | SHOJI WHITE<br>Satin 26084682    Satin 27284682 <span>RC</span>                           | BARRISTER WHITE<br>Satin 27284672                                                               | WHITE BIRCH<br>Gloss 27237131    Gloss 2602057G <span>RC</span>                                  |
|                    |          |               |               |
| OFF WHITE<br>Satin 2603149S <span>RC</span> Satin 27233732                                          | ANOTEC® OFF WHITE<br>Matt 2602181M <span>RC</span>                                        | MAGNOLIA<br>Gloss 27232658                                                                      | CANOLA CREAM<br>Gloss 27281796                                                                   |
|                    |          |               |               |
| LIGHT GREY<br>Gloss 2727263G                                                                        | RIVERGUM BEIGE<br>Gloss 27236991                                                          | PAPERBARK®<br>Satin 2723088S    Satin 2603135S <span>RC</span><br>Matt 2603174M <span>RC</span> | CLASSIC CREAM®<br>Satin 2602095S <span>RC</span> Satin 2722095S<br>Matt 26084732 <span>RC</span> |
|                    |          |               |               |
| GULLY®<br>Satin 2608233S <span>RC</span> Matt 2608235M <span>RC</span>                              | RIVERSAND®<br>Matt 2603193M <span>RC</span>                                               | BARLEY<br>Gloss 2723089G                                                                        | PRIMROSE<br>Gloss 2608436S <span>RC</span> Gloss 2728436S                                        |
|                    |          |               |               |
| WOODLAND GREY®<br>Satin 2727255S    Satin 2606255S <span>RC</span><br>Matt 2606256M <span>RC</span> | JASPER®<br>Satin 2608122S <span>RC</span> Satin 2728122S<br>Matt 2608252M <span>RC</span> | STONE BEIGE<br>Matt 2603253B <span>RC</span>                                                    | DOESKIN<br>Satin 2603251B <span>RC</span>                                                        |
|                  |        |             |             |
| MONUMENT®<br>Satin 2609067S <span>RC</span> Satin 2729067S<br>Matt 2609066M <span>RC</span>         | WEATHERED COPPER<br>Matt 27233724                                                         | HAMMERSLEY BROWN<br>Satin 26084657 <span>RC</span>                                              | TERRAIN®<br>Satin 2608232S <span>RC</span> Matt 2608234M <span>RC</span>                         |
|                  |        |             |             |
| BLACK (C/B NIGHT SKY®)<br>Matt 2609129M <span>RC</span> Matt 27219319                               | BLACK (C/B NIGHT SKY®)<br>Satin 2609128S <span>RC</span> Satin 27219268                   | ANOTEC® MID BRONZE<br>Matt 27251014                                                             | MANOR RED®<br>Satin 2604134S <span>RC</span> Satin 2724134S<br>Matt 2604292M <span>RC</span>     |

## PRECIOUS® POWDERCOAT RANGE




**Beautiful decorative pearlescent colours** delivered with warranty grade\* advanced durable polyester thermosetting powder. See product suitability tables for recommended usage.

|                                                                                     |                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| MOTHER OF PEARL<br>Gloss 97184678                                                   | CITI PEARL<br>Matt 97188471                                                         | METROPOLIS® SILVER GLOW PEARL<br>Gloss 97184623                                      | NICKEL PEARL<br>Matt 97188360                                                         |


\* All Dulux Duralloy® and Precious® products are supported by Dulux Alumi Shield and Dulux Steel Shield warranties when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions. For more information visit [duluxpowders.com.au/warranties](http://duluxpowders.com.au/warranties)



NATURAL PEARL  
Matt 97189119



SHARP SILVER KINETIC® PEARL  
Satin 9717238K




SILVER KINETIC® PEARL  
Satin 9717043K




COPPER KINETIC® PEARL  
Satin 9717183K




ESSENTIAL SILVER PEARL  
Matt 2603146Q RC




ST ELMOS FIRE KINETIC® PEARL  
Satin 9717208K




PEWTER PEARL  
Satin 97188202



CHAMPAGNE KINETIC® PEARL  
Matt 9713059K



PLATYPUS KINETIC® PEARL  
Satin 9717214K



TYPHOON PEARL  
Satin 2607469Q RC




GUNMETAL KINETIC® PEARL  
Satin 9718115K



BRONZE PEARL  
Satin 97194686




METROPOLIS® BRONZE PEARL  
Satin 97159003



STEEL PEARL  
Satin 97157127



ONYX PEARL  
Gloss 97152052



CHARCOAL METALLIC PEARL  
Gloss 97118796

**ALPHATEC®**  
POWDERCOAT RANGE



**Fun, bright solid colours for a big impact** delivered with tough polyester thermosetting powder. See product suitability tables for recommended usage.



LEMON YELLOW  
Gloss 98432120



SAFETY YELLOW  
Gloss 9842015G    Gloss 2652162G RC



BLAZE BLUE  
Gloss 98419941    Gloss 2655268G RC



BRIGHT SILVER METALLIC  
Gloss 96151491



YELLOW GOLD  
Gloss 98433617    Gloss 2652188G RC



ORANGE X15  
Gloss 98451439    Gloss 2654293G RC



FRENCH BLUE  
Gloss 98432725



TRANSFORMER GREY  
Gloss 98432186



COPPER PEARL  
Satin 9614137Q



SIGNAL RED  
Gloss 98450735    Gloss 2654294G RC



POMMEL BLUE  
Gloss 98451034



MISTLETOE  
Gloss 98451040    Gloss 2656292G RC



ANODIC BRONZE  
Satin 96119930



FLAME RED  
Gloss 98419959



SPACE BLUE  
Gloss 98419990



DARK VIOLET  
Gloss 98451926


## SURREAL® EFFECTS MANNEX®




**Distinctive and decorative course textured effect finishes** delivered with tough polyester thermosetting powder. See product suitability tables for recommended usage.




MANNEX® BLACK  
90132679



MANNEX® SILVER LODGE PEARL  
9017034Z



MANNEX® SUEDE  
90137543




MANNEX® WHITE  
90133641


## SURREAL® EFFECTS SCYLLA®




**An open ripple effect with a sharp gloss finish** delivered with tough polyester thermosetting powder. See product suitability tables for recommended usage.



RED BROWN SCYLLA®  
90185473




STONE BEIGE SCYLLA®  
90185474




LIGHT GREY SCYLLA®  
90150766




HORIZON WHITE SCYLLA®  
90151608




BLACK SCYLLA®  
90150003



STORM GREY SCYLLA®  
90150183



APO GREY SCYLLA®  
90136612




NOTRE DAME SCYLLA®  
90150223


## SURREAL® EFFECTS SAROUK®




**A range of matt ripple finishes designed for interior only applications** delivered with polyester/epoxy thermosetting powder. See product suitability tables for recommended usage.



BLACK SAROUK®  
93551146




GRAPHITE SAROUK®  
93551677




SILVER SAROUK®  
93584874

## SURREAL® EFFECTS HAMMER®



**A heavy undulating profile, with a coloured vein ripple** delivered with tough polyester thermosetting powder. See product suitability tables for recommended usage.



BLUE HAMMER®  
90185159




GREY HAMMER®  
90185184


## SURREAL® EFFECTS AZTEC®



**A heavy undulating profile, with a pearl vein ripple** delivered with tough polyester thermosetting powder. See product suitability tables for recommended usage.



AZTEC® BLACK  
90182757



AZTEC® SILVER  
90185040

Note: Whilst most of the Surreal Effect finishes are suitable for exterior durability, the external use of a profiled effect can lead to accumulation of dirt within the pattern which can reduce film performance, appearance or make cleaning and maintenance difficult.

Product Range

| RANGE    | COLOUR NAME            | FINISH | LOOK         | RAPID CURE | COLORBOND® | PRODUCT CODE | R   | G   | B   | LRV |
|----------|------------------------|--------|--------------|------------|------------|--------------|-----|-----|-----|-----|
| Alphatec | Anodic Bronze          | Satin  | Bright Solid |            |            | 96119930     | 83  | 74  | 60  | 10% |
| Alphatec | Blaze Blue             | Gloss  | Bright Solid | RC         |            | 2655268G     | 0   | 106 | 178 | 16% |
| Alphatec | Blaze Blue             | Gloss  | Bright Solid |            |            | 98419941     | 0   | 106 | 178 | 16% |
| Alphatec | Bright Silver Metallic | Gloss  | Bright Solid |            |            | 96151491     | 161 | 163 | 164 | 41% |
| Alphatec | Copper Pearl           | Satin  | Bright Solid |            |            | 9614137Q     | 147 | 101 | 72  | 20% |
| Alphatec | Dark Violet            | Gloss  | Bright Solid |            |            | 98451926     | 81  | 58  | 112 | 9%  |
| Alphatec | Flame Red              | Gloss  | Bright Solid |            |            | 98419959     | 152 | 41  | 44  | 11% |
| Alphatec | French Blue            | Gloss  | Bright Solid |            |            | 98432725     | 46  | 83  | 161 | 13% |
| Alphatec | Lemon Yellow           | Gloss  | Bright Solid |            |            | 98432120     | 241 | 214 | 80  | 70% |
| Alphatec | Mistletoe              | Gloss  | Bright Solid | RC         |            | 2656292G     | 13  | 105 | 56  | 14% |
| Alphatec | Mistletoe              | Gloss  | Bright Solid |            |            | 98451040     | 13  | 105 | 56  | 14% |
| Alphatec | Orange X15             | Gloss  | Bright Solid | RC         |            | 2654293G     | 226 | 103 | 42  | 30% |
| Alphatec | Orange X15             | Gloss  | Bright Solid |            |            | 98451439     | 226 | 103 | 42  | 30% |
| Alphatec | Pommel Blue            | Gloss  | Bright Solid |            |            | 98451034     | 31  | 78  | 129 | 10% |
| Alphatec | Safety Yellow          | Gloss  | Bright Solid | RC         |            | 2652162G     | 241 | 161 | 33  | 48% |
| Alphatec | Safety Yellow          | Gloss  | Bright Solid |            |            | 9842015G     | 241 | 161 | 33  | 48% |
| Alphatec | Signal Red             | Gloss  | Bright Solid | RC         |            | 2654294G     | 174 | 55  | 44  | 15% |
| Alphatec | Signal Red             | Gloss  | Bright Solid |            |            | 98450735     | 174 | 55  | 44  | 15% |
| Alphatec | Space Blue             | Gloss  | Bright Solid |            |            | 98419990     | 44  | 57  | 114 | 7%  |
| Alphatec | Transformer Grey       | Gloss  | Bright Solid |            |            | 98432186     | 125 | 138 | 133 | 29% |
| Alphatec | Yellow Gold            | Gloss  | Bright Solid | RC         |            | 2652188G     | 246 | 167 | 19  | 51% |
| Alphatec | Yellow Gold            | Gloss  | Bright Solid |            |            | 98433617     | 246 | 167 | 19  | 51% |
| Duralloy | Anotec® Dark Grey      | Matt   | Solid        | RC         |            | 2607538M     | 58  | 65  | 69  | 8%  |
| Duralloy | Anotec® Dark Grey      | Matt   | Solid        |            |            | 27251275     | 58  | 65  | 69  | 8%  |
| Duralloy | Anotec® Mid Bronze     | Matt   | Solid        |            |            | 27251014     | 66  | 57  | 51  | 7%  |
| Duralloy | Anotec® Off White      | Matt   | Solid        | RC         |            | 2602181M     | 225 | 218 | 199 | 73% |
| Duralloy | Anotec® Silver Grey    | Matt   | Solid        |            |            | 27251272     | 175 | 176 | 176 | 48% |
| Duralloy | AP0 Grey               | Satin  | Solid        | RC         |            | 26032786     | 172 | 173 | 172 | 46% |
| Duralloy | AP0 Grey               | Satin  | Solid        |            |            | 27232786     | 172 | 173 | 172 | 46% |
| Duralloy | Barley                 | Gloss  | Solid        |            |            | 2723089G     | 215 | 200 | 179 | 63% |
| Duralloy | Barrister White        | Satin  | Solid        |            |            | 27284672     | 235 | 225 | 206 | 78% |
| Duralloy | Basalt®                | Matt   | Solid        | RC         | CB         | 2607475M     | 91  | 93  | 93  | 15% |
| Duralloy | Basalt®                | Satin  | Solid        | RC         | CB         | 2607473S     | 91  | 93  | 93  | 15% |
| Duralloy | Berry Grey             | Satin  | Solid        | RC         |            | 26088362     | 79  | 82  | 87  | 12% |
| Duralloy | Berry Grey             | Gloss  | Solid        |            |            | 2727262G     | 79  | 82  | 87  | 12% |
| Duralloy | Black                  | Gloss  | Solid        | RC         |            | 2609132G     | 45  | 46  | 46  | 5%  |
| Duralloy | Black                  | Gloss  | Solid        |            |            | 2729090G     | 45  | 46  | 46  | 5%  |
| Duralloy | Black (C/B Night Sky®) | Matt   | Solid        | RC         | CB         | 2609129M     | 42  | 43  | 43  | 4%  |
| Duralloy | Black (C/B Night Sky®) | Satin  | Solid        | RC         | CB         | 2609128S     | 42  | 43  | 43  | 4%  |
| Duralloy | Black (C/B Night Sky®) | Matt   | Solid        |            | CB         | 27219319     | 42  | 43  | 43  | 4%  |
| Duralloy | Black (C/B Night Sky®) | Satin  | Solid        |            | CB         | 27219268     | 42  | 43  | 43  | 4%  |
| Duralloy | Blue Ridge®            | Satin  | Solid        |            | CB         | 27288480     | 75  | 93  | 105 | 14% |
| Duralloy | Bright White           | Gloss  | Solid        | RC         |            | 26084636     | 225 | 233 | 240 | 82% |
| Duralloy | Bright White           | Gloss  | Solid        |            |            | 27284636     | 225 | 233 | 240 | 82% |
| Duralloy | Canola Cream           | Gloss  | Solid        |            |            | 27281796     | 243 | 231 | 200 | 82% |
| Duralloy | Charcoal               | Satin  | Solid        | RC         |            | 26088351     | 55  | 59  | 62  | 7%  |
| Duralloy | Charcoal               | Gloss  | Solid        |            |            | 2729086G     | 55  | 59  | 62  | 7%  |
| Duralloy | Charcoal               | Satin  | Solid        |            |            | 27288351     | 55  | 59  | 62  | 7%  |
| Duralloy | Classic Cream®         | Matt   | Solid        | RC         | CB         | 26084732     | 227 | 210 | 176 | 69% |
| Duralloy | Classic Cream®         | Satin  | Solid        | RC         | CB         | 2602095S     | 227 | 210 | 176 | 69% |
| Duralloy | Classic Cream®         | Satin  | Solid        |            | CB         | 2722095S     | 227 | 210 | 176 | 69% |
| Duralloy | Classic Hawthorn Green | Gloss  | Solid        |            |            | 27233709     | 45  | 67  | 56  | 7%  |
| Duralloy | Classic Pearl White    | Gloss  | Solid        | RC         |            | 2601228G     | 242 | 245 | 241 | 91% |
| Duralloy | Classic Pearl White    | Gloss  | Solid        |            |            | 27281880     | 242 | 245 | 241 | 91% |
| Duralloy | Cottage Green®         | Matt   | Solid        | RC         | CB         | 2606304M     | 54  | 80  | 69  | 10% |
| Duralloy | Cottage Green®         | Satin  | Solid        | RC         | CB         | 26084219     | 54  | 80  | 69  | 10% |
| Duralloy | Cottage Green®         | Satin  | Solid        |            | CB         | 27284219     | 54  | 80  | 69  | 10% |
| Duralloy | Cove®                  | Matt   | Solid        | RC         | CB         | 2606252M     | 144 | 136 | 111 | 30% |
| Duralloy | Cove®                  | Satin  | Solid        | RC         | CB         | 2606250S     | 144 | 136 | 111 | 30% |
| Duralloy | Deep Brunswick Green   | Gloss  | Solid        | RC         |            | 2606134G     | 47  | 61  | 54  | 7%  |
| Duralloy | Deep Brunswick Green   | Gloss  | Solid        |            |            | 2726134G     | 47  | 61  | 54  | 7%  |
| Duralloy | Deep Ocean®            | Matt   | Solid        | RC         | CB         | 2605267M     | 61  | 73  | 84  | 9%  |
| Duralloy | Deep Ocean®            | Satin  | Solid        | RC         | CB         | 2605125S     | 61  | 73  | 84  | 9%  |
| Duralloy | Deep Ocean®            | Satin  | Solid        |            | CB         | 2725125S     | 61  | 73  | 84  | 9%  |
| Duralloy | Doeskin                | Satin  | Solid        | RC         |            | 26032516     | 195 | 170 | 128 | 47% |
| Duralloy | Dune®                  | Matt   | Solid        | RC         | CB         | 2607558M     | 170 | 163 | 152 | 42% |
| Duralloy | Dune®                  | Satin  | Solid        | RC         | CB         | 2603087S     | 170 | 163 | 152 | 42% |
| Duralloy | Dune®                  | Satin  | Solid        |            | CB         | 2723087S     | 170 | 163 | 152 | 42% |
| Duralloy | Evening Haze®          | Matt   | Solid        | RC         | CB         | 2603168M     | 188 | 183 | 163 | 51% |
| Duralloy | Evening Haze®          | Satin  | Solid        |            | CB         | 2723055S     | 188 | 183 | 163 | 51% |
| Duralloy | Grey Nurse             | Gloss  | Solid        | RC         |            | 26050060     | 190 | 185 | 165 | 53% |
| Duralloy | Gully®                 | Matt   | Solid        | RC         | CB         | 2608235M     | 117 | 111 | 100 | 20% |
| Duralloy | Gully®                 | Satin  | Solid        | RC         | CB         | 2608233S     | 117 | 111 | 100 | 20% |
| Duralloy | Hammersley Brown       | Satin  | Solid        | RC         |            | 26084657     | 72  | 60  | 57  | 8%  |
| Duralloy | Ironstone®             | Matt   | Solid        | RC         | CB         | 2607556M     | 74  | 78  | 85  | 11% |
| Duralloy | Ironstone®             | Satin  | Solid        | RC         | CB         | 2607257S     | 74  | 78  | 85  | 11% |
| Duralloy | Ironstone®             | Satin  | Solid        |            | CB         | 2727257S     | 74  | 78  | 85  | 11% |
| Duralloy | Jasper®                | Matt   | Solid        | RC         | CB         | 2608252M     | 103 | 92  | 81  | 15% |
| Duralloy | Jasper®                | Satin  | Solid        | RC         | CB         | 2608122S     | 103 | 92  | 81  | 15% |
| Duralloy | Jasper®                | Satin  | Solid        |            | CB         | 2728122S     | 103 | 92  | 81  | 15% |
| Duralloy | Light Grey             | Gloss  | Solid        |            |            | 2727263G     | 197 | 190 | 173 | 56% |
| Duralloy | Magnolia               | Gloss  | Solid        |            |            | 27232658     | 219 | 206 | 178 | 66% |
| Duralloy | Mangrove®              | Satin  | Solid        | RC         | CB         | 2606262S     | 100 | 101 | 84  | 17% |
| Duralloy | Manor Red®             | Matt   | Solid        | RC         | CB         | 2604292M     | 105 | 56  | 50  | 9%  |
| Duralloy | Manor Red®             | Satin  | Solid        | RC         | CB         | 2604134S     | 105 | 56  | 50  | 9%  |
| Duralloy | Manor Red®             | Satin  | Solid        |            | CB         | 2724134S     | 105 | 56  | 50  | 9%  |



| RANGE                  | COLOUR NAME                   | FINISH | LOOK               | RAPID CURE | COLORBOND® | PRODUCT CODE | R   | G   | B   | LRV |
|------------------------|-------------------------------|--------|--------------------|------------|------------|--------------|-----|-----|-----|-----|
| Duralloy               | Monument®                     | Matt   | Solid              | RC         | CB         | 2609066M     | 66  | 67  | 67  | 9%  |
| Duralloy               | Monument®                     | Satin  | Solid              | RC         | CB         | 2609067S     | 66  | 67  | 67  | 9%  |
| Duralloy               | Monument®                     | Satin  | Solid              |            | CB         | 2729067S     | 66  | 67  | 67  | 9%  |
| Duralloy               | Notre Dame                    | Gloss  | Solid              | RC         |            | 26036672     | 94  | 98  | 101 | 16% |
| Duralloy               | Notre Dame                    | Gloss  | Solid              |            |            | 27236672     | 94  | 98  | 101 | 16% |
| Duralloy               | Off White                     | Satin  | Solid              | RC         |            | 2603149S     | 217 | 217 | 205 | 72% |
| Duralloy               | Off White                     | Satin  | Solid              |            |            | 27233732     | 217 | 217 | 205 | 72% |
| Duralloy               | Olde Pewter                   | Satin  | Solid              | RC         |            | 26050243     | 106 | 109 | 112 | 19% |
| Duralloy               | Olde Pewter                   | Satin  | Solid              |            |            | 27250243     | 106 | 109 | 112 | 19% |
| Duralloy               | Oyster                        | Matt   | Solid              | RC         |            | 26036858     | 190 | 192 | 185 | 56% |
| Duralloy               | Oyster                        | Matt   | Solid              |            |            | 27236858     | 190 | 192 | 185 | 56% |
| Duralloy               | Pale Eucalypt®                | Matt   | Solid              | RC         | CB         | 2606303M     | 120 | 129 | 106 | 25% |
| Duralloy               | Pale Eucalypt®                | Satin  | Solid              | RC         | CB         | 2606127S     | 120 | 129 | 106 | 25% |
| Duralloy               | Paperbark®                    | Matt   | Solid              | RC         | CB         | 2603174M     | 194 | 177 | 152 | 50% |
| Duralloy               | Paperbark®                    | Satin  | Solid              | RC         | CB         | 2603135S     | 194 | 177 | 152 | 50% |
| Duralloy               | Paperbark®                    | Satin  | Solid              |            | CB         | 2723088S     | 194 | 177 | 152 | 50% |
| Duralloy               | Pearl White                   | Gloss  | Solid              | RC         |            | 2601229G     | 239 | 243 | 242 | 90% |
| Duralloy               | Pearl White                   | Gloss  | Solid              |            |            | 2721114G     | 239 | 243 | 242 | 90% |
| Duralloy               | Primrose                      | Gloss  | Solid              | RC         |            | 26084365     | 237 | 219 | 181 | 75% |
| Duralloy               | Primrose                      | Gloss  | Solid              |            |            | 27284365     | 237 | 219 | 181 | 75% |
| Duralloy               | Rivergum Beige                | Gloss  | Solid              |            |            | 27236991     | 217 | 206 | 190 | 66% |
| Duralloy               | Riversand®                    | Matt   | Solid              | RC         | CB         | 2603193M     | 159 | 142 | 125 | 33% |
| Duralloy               | Shale Grey®                   | Matt   | Solid              | RC         | CB         | 2607557M     | 179 | 181 | 175 | 50% |
| Duralloy               | Shale Grey®                   | Satin  | Solid              | RC         | CB         | 26083246     | 179 | 181 | 175 | 50% |
| Duralloy               | Shale Grey®                   | Satin  | Solid              |            | CB         | 27283246     | 179 | 181 | 175 | 50% |
| Duralloy               | Shoji White                   | Satin  | Solid              | RC         |            | 26084682     | 226 | 221 | 212 | 76% |
| Duralloy               | Shoji White                   | Satin  | Solid              |            |            | 27284682     | 226 | 221 | 212 | 76% |
| Duralloy               | Stone Beige                   | Matt   | Solid              | RC         |            | 26032538     | 194 | 170 | 141 | 47% |
| Duralloy               | Stone Grey                    | Satin  | Solid              | RC         |            | 26078126     | 144 | 142 | 138 | 32% |
| Duralloy               | Stone Grey                    | Satin  | Solid              |            |            | 27278126     | 144 | 142 | 138 | 32% |
| Duralloy               | Surfmist®                     | Matt   | Solid              | RC         | CB         | 2603167M     | 213 | 213 | 205 | 69% |
| Duralloy               | Surfmist®                     | Satin  | Solid              | RC         | CB         | 2601137S     | 213 | 213 | 205 | 69% |
| Duralloy               | Surfmist®                     | Satin  | Solid              |            | CB         | 2721137S     | 213 | 213 | 205 | 69% |
| Duralloy               | Terrain®                      | Matt   | Solid              | RC         | CB         | 2608234M     | 100 | 65  | 51  | 10% |
| Duralloy               | Terrain®                      | Satin  | Solid              | RC         | CB         | 2608232S     | 100 | 65  | 51  | 10% |
| Duralloy               | Wallaby®                      | Matt   | Solid              | RC         | CB         | 2607476M     | 109 | 107 | 103 | 19% |
| Duralloy               | Wallaby®                      | Satin  | Solid              | RC         | CB         | 2607474S     | 109 | 107 | 103 | 19% |
| Duralloy               | Weathered Copper              | Matt   | Solid              |            |            | 27233724     | 81  | 73  | 63  | 10% |
| Duralloy               | Wedgewood                     | Satin  | Solid              |            |            | 27250279     | 90  | 121 | 144 | 23% |
| Duralloy               | White                         | Satin  | Solid              | RC         |            | 2601139S     | 243 | 245 | 241 | 92% |
| Duralloy               | White                         | Satin  | Solid              |            |            | 2721139S     | 243 | 245 | 241 | 92% |
| Duralloy               | White Birch                   | Gloss  | Solid              | RC         |            | 2602057G     | 249 | 236 | 214 | 87% |
| Duralloy               | White Birch                   | Gloss  | Solid              |            |            | 27237131     | 245 | 236 | 216 | 86% |
| Duralloy               | Wilderness®                   | Satin  | Solid              |            | CB         | 27284224     | 98  | 112 | 98  | 19% |
| Duralloy               | Windspray®                    | Matt   | Solid              | RC         | CB         | 2607559M     | 126 | 132 | 129 | 27% |
| Duralloy               | Windspray®                    | Satin  | Solid              | RC         | CB         | 2607256S     | 126 | 132 | 129 | 27% |
| Duralloy               | Windspray®                    | Satin  | Solid              |            | CB         | 2727256S     | 126 | 132 | 129 | 27% |
| Duralloy               | Woodland Grey®                | Matt   | Solid              | RC         | CB         | 2606256M     | 82  | 82  | 77  | 12% |
| Duralloy               | Woodland Grey®                | Satin  | Solid              | RC         | CB         | 2606255S     | 82  | 82  | 77  | 12% |
| Duralloy               | Woodland Grey®                | Satin  | Solid              |            | CB         | 2727255S     | 82  | 82  | 77  | 12% |
| Precious               | Bronze Pearl                  | Satin  | Pearlescent        |            |            | 97194686     | 73  | 63  | 51  | 8%  |
| Precious               | Champagne Kinetic® Pearl      | Matt   | Pearlescent        |            |            | 9713059K     | 140 | 132 | 120 | 28% |
| Precious               | Charcoal Metallic Pearl       | Gloss  | Pearlescent        |            |            | 97118796     | 64  | 64  | 65  | 8%  |
| Precious               | Citi Pearl                    | Matt   | Pearlescent        |            |            | 97188471     | 166 | 171 | 174 | 45% |
| Precious               | Copper Kinetic® Pearl         | Satin  | Pearlescent        |            |            | 9717183K     | 136 | 128 | 117 | 27% |
| Precious               | Essential Silver Pearl        | Matt   | Pearlescent        | RC         |            | 2603146Q     | 161 | 162 | 158 | 41% |
| Precious               | Gunmetal Kinetic® Pearl       | Satin  | Pearlescent        |            |            | 9718115K     | 86  | 85  | 81  | 13% |
| Precious               | Metropolis® Bronze Pearl      | Satin  | Pearlescent        |            |            | 97159003     | 74  | 71  | 69  | 10% |
| Precious               | Metropolis® Silver Glow Pearl | Gloss  | Pearlescent        |            |            | 97184623     | 165 | 171 | 174 | 45% |
| Precious               | Mother Of Pearl               | Gloss  | Pearlescent        |            |            | 97184678     | 228 | 223 | 214 | 77% |
| Precious               | Natural Pearl                 | Matt   | Pearlescent        |            |            | 97189119     | 161 | 162 | 158 | 41% |
| Precious               | Nickel Pearl                  | Matt   | Pearlescent        |            |            | 97188360     | 169 | 160 | 146 | 40% |
| Precious               | Onyx Pearl                    | Gloss  | Pearlescent        |            |            | 97152052     | 61  | 62  | 64  | 8%  |
| Precious               | Pewter Pearl                  | Satin  | Pearlescent        |            |            | 97188202     | 121 | 125 | 125 | 25% |
| Precious               | Platypus Kinetic® Pearl       | Satin  | Pearlescent        |            |            | 9717214K     | 161 | 158 | 152 | 39% |
| Precious               | Sharp Silver Kinetic® Pearl   | Satin  | Pearlescent        |            |            | 9717238K     | 159 | 162 | 162 | 41% |
| Precious               | Silver Kinetic® Pearl         | Satin  | Pearlescent        |            |            | 9717043K     | 150 | 154 | 153 | 37% |
| Precious               | St Elmos Fire Kinetic® Pearl  | Satin  | Pearlescent        |            |            | 9717208K     | 144 | 146 | 147 | 33% |
| Precious               | Steel Pearl                   | Satin  | Pearlescent        |            |            | 97157127     | 87  | 92  | 93  | 14% |
| Precious               | Typhoon Pearl                 | Satin  | Pearlescent        | RC         |            | 2607469Q     | 89  | 90  | 87  | 14% |
| Surreal Effects Aztec  | Aztec Black                   | Effect | Pearl Vein Ripple  |            |            | 90182757     | 82  | 86  | 89  | 13% |
| Surreal Effects Aztec  | Aztec Silver                  | Effect | Pearl Vein Ripple  |            |            | 90185040     | 77  | 81  | 83  | 11% |
| Surreal Effects Hammer | Blue Hammer                   | Effect | Colour Vein Ripple |            |            | 90185159     | 41  | 74  | 98  | 9%  |
| Surreal Effects Hammer | Grey Hammer                   | Effect | Colour Vein Ripple |            |            | 90185184     | 110 | 113 | 115 | 21% |
| Surreal Effects Mannex | Mannex Black                  | Effect | Textured           |            |            | 90132679     | 45  | 46  | 47  | 5%  |
| Surreal Effects Mannex | Mannex Silver Lode Pearl      | Effect | Textured           |            |            | 9017034Z     | 156 | 158 | 154 | 39% |
| Surreal Effects Mannex | Mannex Suede                  | Effect | Textured           |            |            | 90137543     | 196 | 191 | 181 | 57% |
| Surreal Effects Mannex | Mannex White                  | Effect | Textured           |            |            | 90133641     | 240 | 242 | 237 | 90% |
| Surreal Effects Sarouk | Black Sarouk                  | Effect | Matt Ripple        |            |            | 93551146     | 50  | 51  | 52  | 5%  |
| Surreal Effects Sarouk | Graphite Sarouk               | Effect | Matt Ripple        |            |            | 93551677     | 84  | 84  | 84  | 12% |
| Surreal Effects Sarouk | Silver Sarouk                 | Effect | Matt Ripple        |            |            | 93584874     | 144 | 145 | 144 | 33% |
| Surreal Effects Scylla | AP0 Grey Scylla               | Effect | Ripple             |            |            | 90136612     | 172 | 173 | 172 | 46% |
| Surreal Effects Scylla | Black Scylla                  | Effect | Ripple             |            |            | 90150003     | 48  | 48  | 49  | 5%  |
| Surreal Effects Scylla | Horizon White Scylla          | Effect | Ripple             |            |            | 90151608     | 239 | 238 | 229 | 86% |
| Surreal Effects Scylla | Light Grey Scylla             | Effect | Ripple             |            |            | 90150766     | 193 | 186 | 165 | 53% |
| Surreal Effects Scylla | Notre Dame Scylla             | Effect | Ripple             |            |            | 90150223     | 92  | 96  | 99  | 15% |
| Surreal Effects Scylla | Red Brown Scylla              | Effect | Ripple             |            |            | 90185473     | 73  | 61  | 59  | 8%  |
| Surreal Effects Scylla | Stone Beige Scylla            | Effect | Ripple             |            |            | 90185474     | 197 | 178 | 155 | 50% |
| Surreal Effects Scylla | Storm Grey Scylla             | Effect | Ripple             |            |            | 90150183     | 124 | 137 | 131 | 28% |

## Worth doing, worth Dulux.®

### Meeting Project Needs

The following tables can be used to help identify your project and environment needs, and ultimately the product choice you have from this card.

#### Product Suitability – Aluminum

| Project Type            | Environment | Conditions       | Duralloy <sup>2</sup> | Precious <sup>2</sup> | Alphatec | Surreal Effects Mannex | Surreal Effects Sarouk <sup>1</sup> | Surreal Effects Scylla | Surreal Effects Hammer | Surreal Effects Aztec |
|-------------------------|-------------|------------------|-----------------------|-----------------------|----------|------------------------|-------------------------------------|------------------------|------------------------|-----------------------|
| Residential (<4 Levels) | Exterior    | Mild             | ●                     | ●                     |          |                        |                                     |                        |                        |                       |
| Non-Habitable           | Exterior    | Mild             | ●                     | ●                     | ○        | ○                      |                                     | ○                      | ○                      | ○                     |
| All Projects            | Interior    | General Interior | ●                     | ●                     | ○        | ○                      | ○                                   | ○                      | ○                      | ○                     |

● Alumi Shield Warranty. ○ Non-warrantable. 1. Surreal Effects Sarouk is interior only.

2. Duralloy and Precious are only suitable for coastal environments >100m from the high tide line and are NOT suitable in strongly acidic environments so PH must be >5.

- Non-Habitable projects are those that are not dwelling types. Examples can be furniture, bus shelters, statues, signage etc.
- Residential properties (BCA Class 1 & 10) are typically easy to maintain, given their height and access.
- All projects can include monumental, prestigious commercial, commercial and residential of all types (levels).

#### Product Suitability – Steel

| Corrosion Category |                            |                                                           |                                                               | Primer System |                       | Top Coat Choice       |          |                        |                                     |                        |                        |                       |
|--------------------|----------------------------|-----------------------------------------------------------|---------------------------------------------------------------|---------------|-----------------------|-----------------------|----------|------------------------|-------------------------------------|------------------------|------------------------|-----------------------|
| AS4312 & ISO 12944 | Description of Environment | Mild Steel Corrosion Rate (Microns Per Year) <sup>1</sup> | Example Environment                                           | Zinc-shield   | Duralloy <sup>3</sup> | Precious <sup>3</sup> | Alphatec | Surreal Effects Mannex | Surreal Effects Sarouk <sup>2</sup> | Surreal Effects Scylla | Surreal Effects Hammer | Surreal Effects Aztec |
| C1                 | Very Low                   | <1.3                                                      | Interior: Dry indoors                                         | ●             | ●                     | ●                     | ○        | ○                      | ○                                   | ○                      | ○                      | ○                     |
| C2                 | Low                        | 1.3–25                                                    | Exterior: Arid, urban, inland<br>Interior: Minor condensation | ●             | ●                     | ●                     | ○        | ○                      | ○                                   | ○                      | ○                      | ○                     |
| C3                 | Medium                     | 25–50                                                     | Exterior: Coastal or industrial<br>Interior: High moisture    | ●             | ●                     | ●                     | ○        | ○                      | ○                                   | ○                      | ○                      | ○                     |

● Steel Shield Warranty. ○ Non-warrantable. 1. Corrosion rate is for uncoated steel. 2. Surreal Effects Sarouk is interior only.

3. Duralloy and Precious are only suitable for coastal environments >100m from the high tide line and are NOT suitable in strongly acidic environments so PH must be >5.

- Substrates include Mild Steel, Bright/Semi Bright Steel, Black Steel and Blue Steel.
- Please refer to a Dulux Duspec Specification for exact specification details.

For more information visit [duluxpowders.com.au/specifications](http://duluxpowders.com.au/specifications)

### Warranted Performance

All Dulux Duralloy and Precious powder coat products are backed by product specific warranties.

|                       | Warranty             | Duralloy       | Precious       |
|-----------------------|----------------------|----------------|----------------|
| Alumi Shield Warranty | Aluminium Durability | 10 Years       | 10 Years       |
|                       | Aluminium Colour     | 10 Years       | 10 Years       |
| Steel Shield Warranty | Steel Corrosion      | Up to 10 Years | Up to 10 Years |
|                       | Steel Colour         | 10 Years       | 10 Years       |

Warranties are made up of a colour warranty (for colour fade and chalking), durability warranty (film integrity for aluminium only), and corrosion warranty (for steel only). They are only valid when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions.

For more information visit [duluxpowders.com.au/warranties](http://duluxpowders.com.au/warranties)

### Dulux Accredited Powder Coaters

Only Dulux Accredited Powder Coaters are able to issue our Dulux Alumi Shield and Steel Shield warranties after demonstrating their capability to meet stringent quality conditions and international standards.



For more information visit [duluxpowders.com.au/accredited](http://duluxpowders.com.au/accredited)

### Custom Colour

This colour card and our Premium Colour Selector offer a range of products and colours that are readily available. If you cannot find the colour you require in a particular product, Dulux offer a Custom colour service. Call 13 24 99 or visit [duluxpowders.com.au](http://duluxpowders.com.au)

### Advice Line

Our dedicated consultants can help simplify the specification process, saving you time and money by providing the right coating advice for your project. Call 13 24 99 or visit [duluxpowders.com.au](http://duluxpowders.com.au)

### Offices

#### Australia

Dulux Powder & Industrial Coatings  
1-15 Pound Road West, Dandenong South VIC 3175  
T (61) 3 8787 4500 F (61) 3 8787 4542

#### New Zealand

Dulux Powder & Industrial Coatings  
31B Hillside Road, Glenfield, Auckland, New Zealand  
T (64) 9 441 8244 F (64) 9 441 8242

#### Singapore

DGL International Powder & Industrial Coatings  
BLK 265, #02-275, Serangoon Central Drive  
T (65) 68381010 F (65) 6733 5125

#### China

DGL Camel Powder Coatings  
No.11 Changtang Road, Yantian District  
Fenggang, Dongguan, Guangdong, China, PC 523701  
T (86) 769 8680 1088 F (86) 769 8680 1092/8756 9339

Dulux, Duralloy, Precious, Alphatec, Anotec, Surreal Effects, Worth doing, worth Dulux and Dulux World of Colour are registered trade marks and Custom Colour, Rapidcure, Alumi Shield, Steel Shield and Dulux Accredited Powder Coaters are trade marks of DuluxGroup (Australia) Pty Ltd. Colorbond Steel and the Colorbond Steel colour names denoted by the ® symbol are registered trade marks of Bluescope Steel Ltd. Product colours displayed in this guide are indicative only. They have been matched to indoor viewing and are as close to the actual product colours as modern printing techniques allow. Colour appearance may vary according to light source. Always confirm your colour choice with production line prepared samples for final colour approval. Over time the durability performance between Colorbond Steel and Dulux Powder Coating products may vary. Copyright 2017 DuluxGroup (Australia) Pty Ltd.



# Premium Colour Selector

The Premium Colour Selector contains products that are for use on interior and exterior applications. It includes warrantable products up to 35 years durability.

|          |  |  |  |  |  |  |  |
|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|          | NON-HABITABLE                                                                       | RESIDENTIAL<br><4 LEVELS                                                            | RESIDENTIAL<br>>3 LEVELS                                                              | COMMERCIAL<br><4 LEVELS                                                               | COMMERCIAL<br>>3 LEVELS                                                               | PRESTIGIOUS<br>COMMERCIAL                                                             | MONUMENTAL                                                                            |
| INTERIOR | •                                                                                   | •                                                                                   | •                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     |
| EXTERIOR | •                                                                                   | •                                                                                   | •                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     | •                                                                                     |

**Dulux World of Colour®**  
Powder Coat Series  
Australian Collection

**Dulux®**

# Dulux Powder Coat Premium Colour Selector

DURATEC<sup>®</sup>  
ZEUS<sup>®</sup>

ALUMI  
SHIELD<sup>™</sup>  
WARRANTY

25  
YEAR  
ALUMINIUM  
DURABILITY  
WARRANTY

20  
YEAR  
ALUMINIUM  
COLOUR  
WARRANTY

STEEL  
SHIELD<sup>™</sup>  
WARRANTY

UP TO  
10  
YEAR  
STEEL  
CORROSION  
WARRANTY

20  
YEAR  
STEEL  
COLOUR  
WARRANTY

SUPER DURABLE  
POLYESTER






SOLID  
LOOK

✓ AS 3715

✓ AAMA 2603

✓ AAMA 2604

Subtle and neutral solid colours delivered with warranty grade\* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.

|                                                                                    |                                                                                     |                                                                                      |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |
| APPLIANCE WHITE<br>Satin 90Z1341S                                                  | WHITE<br>Gloss 90Z1110G                                                             | ARCTIC WHITE<br>Satin 90Z1342S                                                       | CHALK USA<br>Gloss 90Z1343G                                                           |
|    |    |    |    |
| TALC<br>Satin 90Z1344S                                                             | MATT CANVAS CLOTH<br>Matt 90Z7327M                                                  | LUNAR GREY<br>Matt 90Z7769M                                                          | SILVER GREY<br>Matt 90Z7770M                                                          |
|   |   |   |   |
| GREY<br>Satin 90Z7768S                                                             | TIMBERLAND<br>Satin 90Z7315S                                                        | MONUMENT <sup>®</sup><br>Matt 90Z8189M                                               | MONUMENT <sup>®</sup><br>Satin 90Z7307S                                               |
|  |  |  |  |
| DARK GREY<br>Matt 90Z7767M                                                         | CHARCOAL<br>Satin 90Z7766S                                                          | LUNAR ECLIPSE<br>Satin 90Z9203S                                                      | BLACK<br>Matt 90Z9202M                                                                |

DURATEC<sup>®</sup>  
ELEMENTS<sup>®</sup>

ALUMI  
SHIELD<sup>™</sup>  
WARRANTY

25  
YEAR  
ALUMINIUM  
DURABILITY  
WARRANTY

20  
YEAR  
ALUMINIUM  
COLOUR  
WARRANTY

STEEL  
SHIELD<sup>™</sup>  
WARRANTY

UP TO  
10  
YEAR  
STEEL  
CORROSION  
WARRANTY

20  
YEAR  
STEEL  
COLOUR  
WARRANTY

SUPER DURABLE  
POLYESTER




TEXTURED  
LOOK

✓ AS 3715

✓ AAMA 2603

✓ AAMA 2604

Distinctive, robust mar-resistant textured finishes built to withstand the elements delivered with warranty grade\* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.

|                                                                                    |                                                                                     |                                                                                      |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |
| SURFMIST <sup>®</sup><br>Flat 90E1330Z                                             | BASALT <sup>®</sup><br>Flat 90E7723Z                                                | MONUMENT <sup>®</sup><br>Flat 90E7724Z                                               | BLACK (CB NIGHT SKY <sup>®</sup> )<br>Flat 90E9190Z                                   |
|  |  |  |  |
| NATURAL BRONZE<br>Flat 90E8341Z                                                    | WEATHERED STEEL<br>Flat 90E8340Z                                                    | COPPER ORE<br>Flat 90E6413Z                                                          | MAGNETITE<br>Flat 90E7725Z                                                            |


CB Colorbond<sup>®</sup> and the Colorbond colour names are registered trademarks of BlueScope Steel Limited.

# DURATEC® ETERNITY®



- ✓ AS 3715
- ✓ AAMA 2603
- ✓ AAMA 2604


**Beautiful decorative pearlescent colours** delivered with warranty grade\* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.



LINEN PEARL  
Satin 90T1138Q




CITI SILVER PEARL  
Matt 90T7024Q




CHAIN PEARL  
Matt 90T7761Q




SILVER KINETIC PEARL  
Satin 90T7160K



NICKEL PEARL  
Matt 90T7763Q



COPPER METALLIC KINETIC  
Matt 90T7183K




MATT CHAMPAGNE KINETIC  
Matt 90T3059K




COPPER COIN PEARL  
Matt 90T4350Q




PEWTER PEARL  
Satin 90T7764Q



TITANIUM PEARL  
Satin 90T7765Q



BRONZE PEARL  
Satin 90T8356Q



CHARCOAL PEARL  
Satin 90T7762Q

# DURATEC® INTENSITY®



- ✓ AS 3715
- ✓ AAMA 2603
- ✓ AAMA 2604

**Fun, bright solid colours for a big impact** delivered with warranty grade\* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.



MOONLIGHT  
Satin 90N2004S



SUNSHINE  
Gloss 90N2084G



FLAME  
Gloss 90N4007G



DESERT  
Satin 90N4227S



LEAF  
Satin 90N6167S



REEF  
Gloss 90N5011G



COAST  
Satin 90N5233S



STORM  
Satin 90N5365S



EVERGREEN  
Satin 90N6005S

\* All Dulux Duratec products are supported by Dulux Alumi Shield and Dulux Steel Shield warranties when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions. For more information visit [duluxpowders.com.au/warranties](http://duluxpowders.com.au/warranties)

# ELECTRO®

POWDERCOAT RANGE




✓ AS 3715

✓ AAMA 2603

✓ AAMA 2604

A unique anodised look, designed to subtly change in appearance as light conditions alter in the day delivered with warranty grade\* advanced super durable polyester thermosetting powder. See product suitability tables for recommended usage.


## MODERN



FLAT WHITE  
Flat 9061200F




GOLD PEARL  
Flat 9062221K




VENERABLE SILVER  
Flat 9067621K




BLUE GOLD  
Flat 9065301K



BRILLIANCE  
Flat 9068281K



BURNISHED COPPER  
Flat 9068185K



TIBERIUS  
Flat 9062210K




MONUMENT®  
Flat 9069171F

CB




BLUE NIGHT  
Flat 9065303K

## TRADITIONAL




SILVER REIGN  
Flat 9067614K



SENSATIONAL CHAMPAGNE  
Flat 9063187K



FRESH GOLD  
Flat 9062208K




MEDIUM BRONZE  
Flat 9068183K



BASALT  
Flat 9067645F

CB



DARK BRONZE  
Flat 9068184K



BLACK ACE  
Flat 9069116F

CB Colorbond® and the Colorbond colour names are registered trademarks of BlueScope Steel Limited.

\* All Dulux Electro products are supported by Dulux Alumi Shield and Dulux Steel Shield warranties when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions. For more information visit [duluxpowders.com.au/warranties](http://duluxpowders.com.au/warranties)

# FLUOROSET<sup>®</sup>


## XTREME<sup>™</sup>




✓ AS 3715    ✓ AAMA 2604  
✓ AAMA 2603    ✓ AAMA 2605

**Subtle and neutral solid colours** delivered with warranty grade\* advanced ultra durable fluoropolymer thermosetting powder. See product suitability tables for recommended usage.

### ULTRA DURABLE SOLID LOOK



WHITE  
Satin 40X1157S



SURFMIST  
Satin 40X1182S

CB



BASALT  
Matt 40X7475M

CB



MONUMENT  
Matt 40X8148M

CB



CHARCOAL  
Matt 40X7297M



BLACK  
Matt 40X9204M

# FLUOROSET<sup>®</sup>

## ALLURE<sup>™</sup>



✓ AS 3715    ✓ AAMA 2604  
✓ AAMA 2603    ✓ AAMA 2605

**Subtle and neutral pearlescent colours** delivered with warranty grade\* advanced ultra durable fluoropolymer thermosetting powder. See product suitability tables for recommended usage.

### ULTRA DURABLE PEARLESCENT LOOK



COIN  
Satin 40A7289Q



SILVER  
Satin 40A7273Q



CHAMPAGNE  
Satin 40A7302Q

### Specification Check List

**Make sure your specification is clear and contains:**

- ✓ The project type and environmental conditions.
- ✓ The most appropriate AAMA specification.
- ✓ Suitable product range.
- ✓ Colour name.
- ✓ Warranty details.
- ✓ Accredited Powder Coater specification to ensure a warranty can be issued.

For example:

“Duratec Elements<sup>®</sup> Magnatite Flat 90E7725Z to meet AAMA 2604 for a Commercial project greater than 3 stories in a exterior Mild (C3) environment. Product must be applied by a Dulux<sup>®</sup> Accredited Powder Coater and must offer a 25 year Durability and 20 year Colour warranty on architectural aluminium.”

Our dedicated consultants can help you by providing the right coating advice together with supplying specifications for your projects. Call 13 24 99 or visit [duluxpowders.com.au](http://duluxpowders.com.au)

\* All Dulux Fluoraset products are supported Dulux Alumi Shield and Dulux Steel Shield warranties when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions. For more information visit [duluxpowders.com.au/warranties](http://duluxpowders.com.au/warranties)

Premium Product Range

| RANGE             | COLOUR NAME             | FINISH | LOOK         | COLORBOND® | PRODUCT CODE | R   | G   | B   | LRV |
|-------------------|-------------------------|--------|--------------|------------|--------------|-----|-----|-----|-----|
| Duratec Elements  | Basalt®                 | Flat   | Textured     | CB         | 90E7723Z     | 213 | 213 | 205 | 69% |
| Duratec Elements  | Surfmist®               | Flat   | Textured     | CB         | 90E1330Z     | 91  | 93  | 93  | 15% |
| Duratec Elements  | Black (CB Night Sky®)   | Flat   | Textured     | CB         | 90E9190Z     | 66  | 67  | 67  | 9%  |
| Duratec Elements  | Monument®               | Flat   | Textured     | CB         | 90E7724Z     | 42  | 43  | 43  | 4%  |
| Duratec Elements  | Natural Bronze          | Flat   | Textured     |            | 90E8341Z     | 88  | 70  | 44  | 14% |
| Duratec Elements  | Weathered Steel         | Flat   | Textured     |            | 90E8340Z     | 86  | 51  | 30  | 8%  |
| Duratec Elements  | Copper Ore              | Flat   | Textured     |            | 90E6413Z     | 41  | 56  | 47  | 8%  |
| Duratec Elements  | Magnetite               | Flat   | Textured     |            | 90E7725Z     | 47  | 41  | 37  | 7%  |
| Duratec Eternity  | Bronze Pearl            | Satin  | Pearlescent  |            | 90T8356Q     | 82  | 74  | 62  | 10% |
| Duratec Eternity  | Chain Pearl             | Matt   | Pearlescent  |            | 90T7761Q     | 168 | 171 | 168 | 45% |
| Duratec Eternity  | Charcoal Pearl          | Satin  | Pearlescent  |            | 90T7762Q     | 55  | 54  | 55  | 6%  |
| Duratec Eternity  | Citi Silver Pearl       | Matt   | Pearlescent  |            | 90T7024Q     | 172 | 176 | 179 | 48% |
| Duratec Eternity  | Copper Metallic Kinetic | Matt   | Pearlescent  |            | 90T7183K     | 146 | 134 | 124 | 29% |
| Duratec Eternity  | Linen Pearl             | Satin  | Pearlescent  |            | 90T1138Q     | 222 | 219 | 207 | 73% |
| Duratec Eternity  | Matt Champagne Kinetic  | Matt   | Pearlescent  |            | 90T3059K     | 157 | 151 | 142 | 36% |
| Duratec Eternity  | Nickel Pearl            | Matt   | Pearlescent  |            | 90T7763Q     | 165 | 158 | 146 | 39% |
| Duratec Eternity  | Pewter Pearl            | Satin  | Pearlescent  |            | 90T7764Q     | 124 | 129 | 129 | 26% |
| Duratec Eternity  | Silver Kinetic Pearl    | Satin  | Pearlescent  |            | 90T7160K     | 151 | 154 | 156 | 37% |
| Duratec Eternity  | Copper Coin Pearl       | Matt   | Pearlescent  |            | 90T4350Q     | 147 | 101 | 72  | 20% |
| Duratec Eternity  | Titanium Pearl          | Satin  | Pearlescent  |            | 90T7765Q     | 89  | 91  | 88  | 14% |
| Duratec Intensity | Coast                   | Satin  | Bright Solid |            | 90N5233S     | 13  | 94  | 134 | 13% |
| Duratec Intensity | Desert                  | Satin  | Bright Solid |            | 90N4227S     | 139 | 57  | 46  | 12% |
| Duratec Intensity | Evergreen               | Satin  | Bright Solid |            | 90N6005S     | 38  | 96  | 62  | 12% |
| Duratec Intensity | Flame                   | Gloss  | Bright Solid |            | 90N4007G     | 180 | 44  | 41  | 14% |
| Duratec Intensity | Leaf                    | Satin  | Bright Solid |            | 90N6167S     | 75  | 137 | 65  | 24% |
| Duratec Intensity | Moonlight               | Satin  | Bright Solid |            | 90N2004S     | 238 | 207 | 65  | 66% |
| Duratec Intensity | Reef                    | Gloss  | Bright Solid |            | 90N5011G     | 39  | 105 | 184 | 18% |
| Duratec Intensity | Storm                   | Satin  | Bright Solid |            | 90N5365S     | 42  | 51  | 79  | 6%  |
| Duratec Intensity | Sunshine                | Gloss  | Bright Solid |            | 90N2084G     | 231 | 171 | 54  | 50% |
| Duratec Zeus      | Appliance White         | Satin  | Solid        |            | 90Z1341S     | 240 | 244 | 239 | 91% |
| Duratec Zeus      | Arctic White            | Satin  | Solid        |            | 90Z1342S     | 224 | 232 | 237 | 82% |
| Duratec Zeus      | Black                   | Matt   | Solid        |            | 90Z9202M     | 44  | 44  | 45  | 5%  |
| Duratec Zeus      | Chalk USA               | Gloss  | Solid        |            | 90Z1343G     | 239 | 234 | 217 | 84% |
| Duratec Zeus      | Charcoal                | Satin  | Solid        |            | 90Z7766S     | 60  | 63  | 67  | 8%  |
| Duratec Zeus      | Dark Grey               | Matt   | Solid        |            | 90Z7767M     | 59  | 64  | 68  | 8%  |
| Duratec Zeus      | Grey                    | Satin  | Solid        |            | 90Z7768S     | 108 | 111 | 114 | 20% |
| Duratec Zeus      | Lunar Eclipse           | Satin  | Solid        |            | 90Z9203S     | 45  | 45  | 46  | 5%  |
| Duratec Zeus      | Lunar Grey              | Matt   | Solid        |            | 90Z7769M     | 227 | 225 | 216 | 77% |
| Duratec Zeus      | Matt Canvas Cloth       | Matt   | Solid        |            | 90Z7327M     | 203 | 200 | 189 | 61% |
| Duratec Zeus      | Monument®               | Satin  | Solid        | CB         | 90Z7307S     | 66  | 67  | 67  | 9%  |
| Duratec Zeus      | Monument®               | Matt   | Solid        | CB         | 90Z8189M     | 66  | 67  | 67  | 9%  |
| Duratec Zeus      | Silver Grey             | Matt   | Solid        |            | 90Z7770M     | 171 | 175 | 177 | 47% |
| Duratec Zeus      | Talc                    | Satin  | Solid        |            | 90Z1344S     | 229 | 226 | 216 | 78% |
| Duratec Zeus      | Timberland              | Satin  | Solid        |            | 90Z7315S     | 84  | 84  | 80  | 12% |
| Duratec Zeus      | White                   | Gloss  | Solid        |            | 90Z1110G     | 240 | 244 | 242 | 90% |
| Electro           | Basalt®                 | Flat   | Anodised     | CB         | 9067645F     | 91  | 93  | 93  | 15% |
| Electro           | Black Ace               | Flat   | Anodised     |            | 9069116F     | 59  | 60  | 60  | 4%  |
| Electro           | Blue Gold               | Flat   | Anodised     |            | 9065301K     | 111 | 128 | 122 | 20% |
| Electro           | Blue Night              | Flat   | Anodised     |            | 9065303K     | 67  | 68  | 71  | 6%  |
| Electro           | Brilliance              | Flat   | Anodised     |            | 9068281K     | 112 | 102 | 90  | 14% |
| Electro           | Burnished Copper        | Flat   | Anodised     |            | 9068185K     | 93  | 75  | 71  | 8%  |
| Electro           | Dark Bronze             | Flat   | Anodised     |            | 9068184K     | 77  | 69  | 63  | 6%  |
| Electro           | Flat White              | Flat   | Anodised     |            | 9061200F     | 236 | 240 | 237 | 86% |
| Electro           | Fresh Gold              | Flat   | Anodised     |            | 9062208K     | 150 | 131 | 107 | 24% |
| Electro           | Gold Pearl              | Flat   | Anodised     |            | 9062221K     | 167 | 139 | 93  | 28% |
| Electro           | Medium Bronze           | Flat   | Anodised     |            | 9068183K     | 103 | 93  | 80  | 11% |
| Electro           | Monument®               | Flat   | Anodised     | CB         | 9069171F     | 66  | 67  | 67  | 9%  |
| Electro           | Sensational Champagne   | Flat   | Anodised     |            | 9063187K     | 148 | 138 | 125 | 26% |
| Electro           | Silver Reign            | Flat   | Anodised     |            | 9067614K     | 170 | 175 | 173 | 42% |
| Electro           | Tiberius                | Flat   | Anodised     |            | 9062210K     | 109 | 94  | 65  | 12% |
| Electro           | Venerable Silver        | Flat   | Anodised     |            | 9067621K     | 125 | 127 | 128 | 21% |
| Fluoroset Xtreme™ | Black                   | Matt   | Solid        |            | 40X9204M     | 42  | 42  | 43  | 4%  |
| Fluoroset Xtreme™ | Charcoal                | Matt   | Solid        |            | 40X7297M     | 58  | 61  | 64  | 7%  |
| Fluoroset Xtreme™ | White                   | Satin  | Solid        |            | 40X1157S     | 231 | 232 | 223 | 82% |
| Fluoroset Xtreme™ | Monument®               | Matt   | Solid        | CB         | 40X8148M     | 42  | 43  | 43  | 4%  |
| Fluoroset Xtreme™ | Basalt®                 | Matt   | Solid        | CB         | 40X7475M     | 91  | 93  | 93  | 15% |
| Fluoroset Xtreme™ | Surfmist®               | Satin  | Solid        | CB         | 40X1182S     | 213 | 213 | 205 | 69% |
| Fluoroset Allure™ | Champagne               | Satin  | Pearlescent  |            | 40A7302Q     | 161 | 158 | 153 | 39% |
| Fluoroset Allure™ | Coin                    | Satin  | Pearlescent  |            | 40A7289Q     | 163 | 167 | 169 | 43% |
| Fluoroset Allure™ | Silver                  | Satin  | Pearlescent  |            | 40A7273Q     | 145 | 149 | 151 | 35% |



Worth doing, worth Dulux.®

Whatever your project needs, Dulux powder coatings provide you with the confidence and quality that will make it all worthwhile.

Meeting Industry Standards

Dulux Premium Powder Coat Products are designed to meet both the global AAMA and Australian AS3715 standard architectural standards.

|                | Fluoroset                   | Electro                 | Duratec                 |
|----------------|-----------------------------|-------------------------|-------------------------|
| AAMA Standards | 2605                        | 2604                    | 2604                    |
| Coating Type   | Ultra Durable Fluoropolymer | Super Durable Polyester | Super Durable Polyester |

Meeting Project Needs

The following tables can be used to help identify your project and environment needs, and ultimately the product choice you have from this card.

Product Suitability – Aluminium and Steel

Aluminium specifications are typically 1 coat systems, whilst steel specifications are 2-3 coat systems.

Please refer to the table below to clarify:

| Project, Environment and Conditions |             |                            | Primer System |                | Top Coat Choice        |                      |                      |
|-------------------------------------|-------------|----------------------------|---------------|----------------|------------------------|----------------------|----------------------|
| Project Type                        | Environment | Conditions                 | Zincshield    | E-Prime        | Fluoroset <sup>2</sup> | Electro <sup>3</sup> | Duratec <sup>3</sup> |
| Monumental                          | Exterior    | Severe or Tropical         | ○             | ○*             | ●                      |                      |                      |
| Monumental                          | Exterior    | Mild                       | ○             | ○ <sup>1</sup> | ●                      |                      |                      |
| Prestigious Commercial              | Exterior    | Severe or Tropical         | ○             | ○*             | ●                      |                      |                      |
| Prestigious Commercial              | Exterior    | Mild                       | ○             | ○ <sup>1</sup> | ●                      | ●                    | ●                    |
| Commercial                          | Exterior    | Severe or Tropical         | ○             | ○*             | ●                      | ●                    | ●                    |
| Commercial                          | Exterior    | Mild                       | ○             | ○ <sup>1</sup> | ●                      | ●                    | ●                    |
| Residential                         | Exterior    | Severe or Tropical         | ○             | ○*             | ●                      | ●                    | ●                    |
| Residential                         | Exterior    | Mild                       | ○             | ○ <sup>1</sup> | ●                      | ●                    | ●                    |
| Non-Habitable                       | Exterior    | Severe or Tropical         | ○             | ○*             | ●                      | ●                    | ●                    |
| Non-Habitable                       | Exterior    | Mild                       | ○             | ○ <sup>1</sup> | ●                      | ●                    | ●                    |
| All Projects                        | Interior    | Moderate Interior (High)   | ○             | ○*             | ●                      | ●                    | ●                    |
| All Projects                        | Interior    | Moderate Interior (Medium) | ○             | ○ <sup>1</sup> | ●                      | ●                    | ●                    |
| All Projects                        | Interior    | General Interior           | ○             |                | ●                      | ●                    | ●                    |

- Steel Shield and Alumi Shield Warranty available.  
○ Primer required for Steel Shield Warranties.  
\* E-Prime base coat is mandatory for Alumi Shield warranties on perforated and expanded aluminium where indicated.  
1. E-Prime base coat is mandatory for 10 Year Steel Shield Corrosion warranties in Mild-Medium (C3) conditions. Without, Steel Shield Corrosion Warranty is 5 Years.  
2. Fluoroset may be suitable in locations <10m from the high tide line, e.g. harbours (contact Dulux for advice) and is NOT suitable in strongly acidic environments so PH must be >5.  
3. Electro and Duratec are only suitable for coastal environments >10m from the high tide and are NOT suitable in strongly acidic environments so PH must be >5.
- Non-Habitable projects are those that are not dwelling types. Examples can be furniture, bus shelters, statues, signage etc.
  - Residential properties up to 3 levels (BCA Class 1 & 10) are typically easy to maintain, given their height and access.
  - High-rise projects are less sheltered from neighbouring buildings, raising their exposure and reducing the ease of maintenance.
  - All Projects can include monumental, prestigious commercial, commercial and residential of all types (levels).
  - Alumi Shield warranties are only available on: architectural aluminium applications, including perforated aluminium and expanded aluminium.
  - Steel Shield warranties are only available on: Mild Steel, Bright/Semi Bright Steel, Black Steel and Blue Steel.
  - Please refer to a Dulux DuSpec Specification for exact specification – including preparation and blasting requirements.

Conditions

Use the following table which references AS2312.1 and AS3715 to identify the environment, conditions and atmospheric corrosivity categories.

| Environment | Conditions        | Corrosivity Level and Zone | Former AS/NZ 2312 Category | Mild Steel Corrosion Rate <sup>1</sup> | Example Environments                                                     |
|-------------|-------------------|----------------------------|----------------------------|----------------------------------------|--------------------------------------------------------------------------|
| Exterior    | Mild              | Low (C2)                   | B                          | 1.3–25                                 | Arid, urban, inland, city                                                |
|             |                   | Medium (C3)                | C                          | 25–50                                  | Industrial, geothermal <sup>2</sup> and coastal                          |
|             | Severe            | High (C4)                  | D                          | 50–80                                  | Sea shore (calm)                                                         |
|             |                   | Very High (C5-M, C5-I)     | E-M, E-I                   | 80–200                                 | Sea shore (surf), off shore islands <sup>3</sup> and/or heavy industrial |
|             | Tropical*         | High (T)                   | F                          | 80–200                                 | High, humid and monsoonal locations incl. tropical islands <sup>4</sup>  |
| Interior    | General Interior  | Very low (C1)              | A                          | <1.3                                   | Dry interiors                                                            |
|             |                   | Low (C2)                   | B                          | 1.3–25                                 | Minor condensation                                                       |
|             | Moderate Interior | Medium (C3)                | C                          | 25–50                                  | High moisture                                                            |
|             |                   | High (C4)                  | D                          | 50–80                                  | Significant contamination                                                |

\* Tropical projects – it is recommended to speak to a Dulux Account Manager or call the advice line for all projects in tropical locations.  
1. Corrosion rate is for uncoated steel ref AS2312.1.  
2. Geothermal environments with a PH >5 and >9. For PH outside this consult Dulux.  
3. Offshore islands that are not tropical include Waiheke, Stewart Island, Fraser Island etc.  
4. Tropical islands include Australian Islands north of Mackay and Pacific islands such as PNG, Fiji, Samoa, Tonga.

For more information on identifying the right product for your project call 13 24 99 or visit [duluxpowders.com.au](http://duluxpowders.com.au)

## Warranted Performance

All Dulux Premium Powder Coat Products are backed by product specific warranties. Below is an overview of the warranties available from Dulux:

|                       | Warranty             | Fluoraset      | Electro        | Duratec        |
|-----------------------|----------------------|----------------|----------------|----------------|
| Alumi Shield Warranty | Aluminium Durability | 35 Years       | 25 Years       | 25 Years       |
|                       | Aluminium Colour     | 30 Years       | 15 Years       | 20 Years*      |
| Steel Shield Warranty | Steel corrosion      | Up to 10 Years | Up to 10 Years | Up to 10 Years |
|                       | Steel Colour         | 30 Years       | 15 Years       | 20 Years*      |

\* Excluding Intensity – 15 Years.

Warranties are made up of a Colour warranty (for colour fade and chalking), Durability warranty (film integrity for aluminium only), and Corrosion warranty (for steel only). They are only valid when applied by a Dulux Accredited Powder Coater to the warranty specification on recommended project types and conditions.

For more information visit [duluxpowders.com.au/warranties](http://duluxpowders.com.au/warranties)

## Care and Maintenance

To ensure the life of your asset is maximised and to comply with Dulux warranty requirements, a simple and regular maintenance program must be implemented and recorded in line with the recommended minimal cleaning periods set out in the Dulux Powders Care and Maintenance Brochure. For more information refer to the Care and Maintenance Brochure visit [duluxpowders.com.au/tech-advice](http://duluxpowders.com.au/tech-advice)

## Dulux Accredited Powder Coaters

Only Dulux Accredited Powder Coaters are able to issue our Dulux Alumi Shield and Steel Shield warranties after demonstrating their capability to meet stringent quality conditions and international standards.



For more information visit [duluxpowders.com.au/accredited](http://duluxpowders.com.au/accredited)

## Custom Colour

This Premium Colour Selector and our Colour Selector offer a range of products and colours that are readily available. If you cannot find the colour you require in a particular product, Dulux offer a Custom Colour service. Call 13 24 99 or visit [duluxpowders.com.au](http://duluxpowders.com.au)

## Advice Line

Our dedicated consultants can help simplify the specification process, saving you time and money by providing the right coating advice for your project. Call 13 24 99 or visit [duluxpowders.com.au](http://duluxpowders.com.au)

## Offices

### Australia

Dulux Powder & Industrial Coatings  
1-15 Pound Road West, Dandenong South VIC 3175  
T (61) 3 8787 4500

### New Zealand

Dulux Powder & Industrial Coatings  
31B Hillside Road, Glenfield, Auckland, New Zealand  
T (64) 9 441 8244


### Singapore

DGL International Powder & Industrial Coatings  
No.100 Pasir Panjang Road  
#02-10, Singapore 118518  
T (65) 6838 1010

### China

DGL International Powder & Industrial Coatings  
Room 406, No.8, Lane 1977, JinShaJiang Road,  
Shanghai, China, PC 200333  
T (86) 21 6173 8800

## Living Colors





| Color Name            | Technology   | Code   | Finish | Color Group      | LRV |
|-----------------------|--------------|--------|--------|------------------|-----|
| Almond Ivory          | D1000        | GD016A | Gloss  | Living Series    | 54% |
| Anodic Bronze         | D1000        | GY114A | Satin  | Anodic           | 12% |
| Anodic Champagne      | D1000        | GY276A | Matt   | Anodic           | 42% |
| Anodic Clear          | D1000        | GY221A | Matt   | Anodic           | 55% |
| Anodic Dark Grey      | D1000        | GL213A | Matt   | Anodic           | 7%  |
| Anodic Natural        | D1000        | GY235A | Matt   | Anodic           | 42% |
| Anodic Off White      | D1000        | GD227A | Matt   | Anodic           | 74% |
| Anodic Silver Grey    | D1000        | GL237A | Matt   | Anodic           | 48% |
| APO Grey              | D1000        | GL107A | Satin  | Living Series    | 46% |
| Barley                | D1000        | GD007A | Gloss  | Living Series    | 63% |
| Black                 | D1000        | GN150A | Satin  | Living Series    | 4%  |
| Black Ink             | D1000        | GN21BA | Matt   | Flat Matt        | 1%  |
| Black Onyx            | D1000        | GY042A | Gloss  | Living Series    | 7%  |
| Blaze Blue            | TC           | MJ034A | Gloss  | Color Energy     | 18% |
| Bondi Blue            | D1000        | GJ045A | Gloss  | Color Vitality   | 20% |
| Bright Silver         | 610          | MW201T | Matt   | Silvers & Clears | 43% |
| Bright White          | D1000        | GA030A | Gloss  | Living Series    | 81% |
| Brilliant Yellow      | D1000        | GE087A | Gloss  | Color Vitality   | 66% |
| Claret                | D1000        | GG142A | Satin  | Living Series    | 6%  |
| Classic Pearl White   | D1000        | GA073A | Gloss  | Living Series    | 91% |
| Coral Black           | D1000        | GN063A | Gloss  | Living Series    | 4%  |
| Custom Black          | D1000        | GN248A | Matt   | Living Series    | 4%  |
| Dark Bronze           | D1000        | GY20BA | Matt   | Flat Matt        | 6%  |
| Deep Pool             | TC           | MK002A | Satin  | Color Energy     | 20% |
| Doeskin               | D1000        | GD188A | Satin  | Living Series    | 44% |
| Easy Clean Clear      | 200          | UZ607I | Gloss  | Silvers & Clears | 59% |
| Excel™ Basalt™        | D1000 Excel™ | GP108A | Satin  | Excel™           | 13% |
| Excel™ Basalt™        | D1000 Excel™ | GP208A | Matt   | Excel™           | 14% |
| Excel™ Bushland®      | D1000 Excel™ | GS103A | Satin  | Excel™           | 24% |
| Excel™ Bushland®      | D1000 Excel™ | GK203A | Matt   | Excel™           | 25% |
| Excel™ Charcoal       | D1000 Excel™ | GL035A | Gloss  | Excel™           | 6%  |
| Excel™ Charcoal       | D1000 Excel™ | GL180A | Satin  | Excel™           | 7%  |
| Excel™ Classic Cream® | D1000 Excel™ | GD245A | Matt   | Excel™           | 67% |
| Excel™ Classic Cream® | D1000 Excel™ | GU145A | Satin  | Excel™           | 67% |
| Excel™ Cottage Green® | D1000 Excel™ | GS174A | Satin  | Excel™           | 10% |
| Excel™ Cottage Green® | D1000 Excel™ | GK274A | Matt   | Excel™           | 11% |
| Excel™ Cove™          | D1000 Excel™ | GD274A | Matt   | Excel™           | 29% |
| Excel™ Deep Ocean®    | D1000 Excel™ | GJ203A | Matt   | Excel™           | 9%  |
| Excel™ Deep Ocean®    | D1000 Excel™ | GQ103A | Satin  | Excel™           | 9%  |
| Excel™ Domain®        | D1000 Excel™ | GD230A | Matt   | Excel™           | 67% |
| Excel™ Dune®          | D1000 Excel™ | GP152A | Satin  | Excel™           | 40% |

## Living Colors

People are driven by emotion – and color elicits different emotions in people. As the world’s largest coatings company, no other company has more experience in color trends than AkzoNobel. Home to the Aesthetics Centre, our in-house color and design experts anticipate and predict movements in trends that affect color and coating choices for architectural applications. We have drawn on the knowledge of our global Aesthetics Centre, along with our own Australian insights, to produce this Residential and Industrial Powder Coatings Collection – Living Colors.

| Color Name            | Technology   | Code   | Finish | Color Group | LRV |
|-----------------------|--------------|--------|--------|-------------|-----|
| Excel™ Dune®          | D1000 Excel™ | GL252A | Matt   | Excel™      | 41% |
| Excel™ Evening Haze®  | D1000 Excel™ | GM235A | Matt   | Excel™      | 51% |
| Excel™ Evening Haze®  | D1000 Excel™ | GT135A | Satin  | Excel™      | 52% |
| Excel™ Gully™         | D1000 Excel™ | GM242A | Matt   | Excel™      | 20% |
| Excel™ Harvest®       | D1000 Excel™ | GD215A | Matt   | Excel™      | 45% |
| Excel™ Hawthorn Green | D1000 Excel™ | GK030A | Gloss  | Excel™      | 7%  |
| Excel™ Headland®      | D1000 Excel™ | GV119A | Satin  | Excel™      | 13% |
| Excel™ Heritage Green | D1000 Excel™ | GK044A | Gloss  | Excel™      | 6%  |
| Excel™ Ironstone®     | D1000 Excel™ | GL236A | Matt   | Excel™      | 11% |
| Excel™ Ironstone®     | D1000 Excel™ | GP136A | Satin  | Excel™      | 11% |
| Excel™ Jasper®        | D1000 Excel™ | GM214A | Matt   | Excel™      | 15% |
| Excel™ Jasper®        | D1000 Excel™ | GT114A | Satin  | Excel™      | 16% |
| Excel™ Mangrove™      | D1000 Excel™ | GK277A | Matt   | Excel™      | 17% |
| Excel™ Manor Red®     | D1000 Excel™ | GG262A | Matt   | Excel™      | 9%  |
| Excel™ Manor Red®     | D1000 Excel™ | GV162A | Satin  | Excel™      | 9%  |
| Excel™ Monument®      | D1000 Excel™ | GL229A | Matt   | Excel™      | 8%  |
| Excel™ Monument®      | D1000 Excel™ | GP129A | Satin  | Excel™      | 8%  |
| Excel™ Night Sky®     | D1000 Excel™ | GN231A | Matt   | Excel™      | 4%  |
| Excel™ Night Sky®     | D1000 Excel™ | GN121A | Satin  | Excel™      | 4%  |
| Excel™ Pale Eucalypt® | D1000 Excel™ | GS136A | Satin  | Excel™      | 24% |
| Excel™ Pale Eucalypt® | D1000 Excel™ | GK236A | Matt   | Excel™      | 25% |
| Excel™ Paperbark®     | D1000 Excel™ | GD214A | Matt   | Excel™      | 50% |
| Excel™ Paperbark®     | D1000 Excel™ | GU114A | Satin  | Excel™      | 50% |
| Excel™ Pearl White®   | D1000 Excel™ | GA029A | Gloss  | Excel™      | 89% |
| Excel™ Primrose       | D1000 Excel™ | GD031A | Gloss  | Excel™      | 72% |
| Excel™ Riversand®     | D1000 Excel™ | GM204A | Matt   | Excel™      | 33% |
| Excel™ Shale Grey®    | D1000 Excel™ | GL284A | Matt   | Excel™      | 49% |
| Excel™ Shale Grey®    | D1000 Excel™ | GP184A | Satin  | Excel™      | 49% |
| Excel™ Surfmist®      | D1000 Excel™ | GB136A | Satin  | Excel™      | 66% |
| Excel™ Surfmist®      | D1000 Excel™ | GA236A | Matt   | Excel™      | 69% |
| Excel™ Terrain™       | D1000 Excel™ | GM143A | Satin  | Excel™      | 10% |
| Excel™ Terrain™       | D1000 Excel™ | GM243A | Matt   | Excel™      | 9%  |
| Excel™ Wallaby™       | D1000 Excel™ | GL111A | Satin  | Excel™      | 18% |
| Excel™ Wallaby™       | D1000 Excel™ | GL210A | Matt   | Excel™      | 18% |
| Excel™ Wilderness®    | D1000 Excel™ | GS189A | Satin  | Excel™      | 18% |
| Excel™ Wilderness®    | D1000 Excel™ | GK289A | Matt   | Excel™      | 19% |
| Excel™ Windspray®     | D1000 Excel™ | GP166A | Satin  | Excel™      | 27% |
| Excel™ Windspray®     | D1000 Excel™ | GL266A | Matt   | Excel™      | 28% |
| Excel™ Woodland Grey® | D1000 Excel™ | GL205A | Matt   | Excel™      | 12% |
| Excel™ Woodland Grey® | D1000 Excel™ | GP105A | Satin  | Excel™      | 12% |

## The Interpon Range

### Interpon TC

Interpon TC is a durable powder coating designed to meet the specific needs of the Industrial and General Trade Coater markets. The Interpon TC range of powder coatings feature higher transfer efficiency, excellent coverage and high levels of damage resistance. Interpon TC is available in an extensive range of brighter colors, ripples, textures, and special effect powders.

### Interpon D1000

**Interpon D1000** is a high durable powder coating developed on in-house resin technology providing an ideal finish for all external applications. **Interpon D1000** offers the applicator excellent application performance with superior mileage, high powder utilisation and faster curing, making it the most versatile and best performing product in its class.





| Color Name        | Technology | Code   | Finish  | Color Group    | LRV |
|-------------------|------------|--------|---------|----------------|-----|
| Flame Red         | TC         | MG071A | Gloss   | Color Energy   | 11% |
| French Blue       | TC         | MJ067A | Gloss   | Color Energy   | 13% |
| Hamersley Brown   | D1000      | GM100A | Satin   | Living Series  | 8%  |
| Hammer Mystique   | TC         | MW415C | Texture | Ripple         | 13% |
| Jaybird           | D1000      | GJ174A | Satin   | Color Vitality | 11% |
| Lawn Green        | TC         | MK038A | Gloss   | Color Energy   | 12% |
| Lemon Yellow      | TC         | ME068A | Gloss   | Color Energy   | 66% |
| Lobster           | D1000      | GG155A | Satin   | Color Vitality | 12% |
| Lycra Strip       | D1000      | GK063A | Gloss   | Color Vitality | 53% |
| Magnolia          | D1000      | GD025A | Gloss   | Living Series  | 63% |
| MetaPrep™ Grey    | 700        | EL286A |         | Primer         | 47% |
| Natural Shimmer   | D1000      | GY21AA | Matt    | Flat Matt      | 46% |
| Notre Dame        | D1000      | GL040A | Gloss   | Living Series  | 16% |
| Off White         | D1000      | GA211A | Matt    | Living Series  | 71% |
| Olde Pewter       | D1000      | GL175A | Satin   | Living Series  | 20% |
| Orange X15        | TC         | MF035A | Gloss   | Color Energy   | 28% |
| Oyster Grey       | D1000      | GL258A | Matt    | Living Series  | 60% |
| Pearl White       | D1000      | GA078A | Gloss   | Living Series  | 89% |
| Pottery           | D1000      | GM175A | Satin   | Living Series  | 39% |
| Primrose          | D1000      | GD037A | Gloss   | Living Series  | 70% |
| PZ560 Zinc        | 100        | BL103K | Primer  | Primer         | 13% |
| PZ790             | 100        | ALZ90F | Primer  | Primer         | 15% |
| Ripple APO Grey   | TC         | ML463A | Gloss   | Ripple         | 43% |
| Ripple Black      | TC         | MN427A | Gloss   | Ripple         | 4%  |
| Ripple Graphite   | 700        | EY422A | Matt    | Ripple         | 10% |
| Ripple RAL 7032   | TC         | MP476A | Texture | Ripple         | 44% |
| Ripple RAL 7035   | TC         | ML435A | Gloss   | Ripple         | 58% |
| Ripple White      | TC         | MA494A | Gloss   | Ripple         | 92% |
| Ripple X15 Orange | TC         | MF406A | Gloss   | Ripple         | 29% |
| Rivergum          | D1000      | GD042A | Gloss   | Living Series  | 65% |
| Sablé™ Asteroid   | D1000      | GN271A | Texture | Sablé™         | 11% |
| Sablé™ Bass       | D1000      | GN297A | Texture | Sablé™         | 9%  |
| Sablé™ Black      | D1000      | GN341A | Texture | Sablé™         | 4%  |
| Sablé™ Brilliance | D1000      | GL277A | Texture | Sablé™         | 16% |
| Sablé™ Core Ten   | D1000      | GX350A | Texture | Sablé™         | 8%  |
| Sablé™ Grey Nurse | D1000      | GL320A | Texture | Sablé™         | 58% |

| Color Name                     | Technology | Code   | Finish  | Color Group    | LRV |
|--------------------------------|------------|--------|---------|----------------|-----|
| Sablé™ Silver                  | D1000      | GY301A | Texture | Sablé™         | 39% |
| Safety Yellow                  | TC         | ME096A | Gloss   | Color Energy   | 45% |
| Safety Yellow                  | TC         | ME396A | Texture | Color Energy   | 43% |
| Sensation                      | D1000      | GF049A | Gloss   | Color Vitality | 75% |
| Shamrock                       | D1000      | GK043A | Gloss   | Color Vitality | 13% |
| Shoji White                    | D1000      | GA160A | Satin   | Living Series  | 78% |
| Signal Red                     | TC         | MG036A | Gloss   | Color Energy   | 13% |
| Space Blue                     | TC         | MJ008A | Gloss   | Color Energy   | 7%  |
| Stone Beige                    | D1000      | GD247A | Matt    | Living Series  | 47% |
| Storm Grey N42                 | D1000      | GL060A | Satin   | Living Series  | 30% |
| Textura® White                 | D1000      | GA330A | Texture | Textura®       | 87% |
| Textura® Surfmist®             | D1000      | GA336A | Texture | Textura®       | 67% |
| Textura® Primrose              | D1000      | GD331A | Texture | Textura®       | 69% |
| Textura® Paperbark®            | D1000      | GD314A | Texture | Textura®       | 52% |
| Textura® Dune®                 | D1000      | GL352A | Texture | Textura®       | 58% |
| Textura® Silver                | D1000      | GY35LA | Texture | Textura®       | 38% |
| Textura® Ironstone®            | D1000      | GL336A | Texture | Textura®       | 11% |
| Textura® Deep Ocean®           | D1000      | GJ301A | Texture | Textura®       | 9%  |
| Textura® Jasper®               | D1000      | GM314A | Texture | Textura®       | 15% |
| Textura® Woodland Grey®        | D1000      | GL333A | Texture | Textura®       | 12% |
| Textura® Monument®             | D1000      | GL329A | Texture | Textura®       | 8%  |
| Textura® Black                 | D1000      | GN305A | Texture | Textura®       | 5%  |
| Transformer Grey               | D1000      | GL031A | Gloss   | Living Series  | 30% |
| Viper Green                    | D1000      | GK051A | Gloss   | Color Vitality | 27% |
| Vivica™ Asteroid Pearl         | D1000      | GY270A | Matt    | Vivica™        | 10% |
| Vivica™ Charcoal Metallic      | D1000      | GM019A | Gloss   | Vivica™        | 7%  |
| Vivica™ Charcoal Pearl         | D1000      | GY237A | Matt    | Vivica™        | 6%  |
| Vivica™ Citi®                  | D1000      | GL211A | Matt    | Vivica™        | 44% |
| Vivica™ Mercury Silver         | D1000      | GW003K | Gloss   | Vivica™        | 51% |
| Vivica™ Nobel Silver Pearl     | D1000      | GY119A | Satin   | Vivica™        | 31% |
| Vivica™ Palladium Silver Pearl | D1000      | GY184C | Satin   | Vivica™        | 30% |
| Vivica™ Storm Front            | D1000      | GL249A | Matt    | Vivica™        | 13% |
| Vivica™ Ultra Silver           | D1000      | GY070A | Gloss   | Vivica™        | 41% |
| White                          | D1000      | GA124A | Satin   | Living Series  | 89% |
| White Birch                    | D1000      | GA057A | Gloss   | Living Series  | 85% |
| Yellow Gold                    | TC         | ME038A | Gloss   | Color Energy   | 52% |

Colorbond® and ® color names are registered trademarks of BlueScope Steel Limited

## Interpon D1000 Excel™

**Interpon D1000 Excel™** has been developed for application over porous substrates, such as hot-dipped galvanised (HDG) steel and castings, providing greater application tolerance and improved final film appearance. **Interpon D1000 Excel™** is also suitable for aluminium and steel substrates.

## Interpon D Approved Applicators

AkzoNobel has developed the Interpon D Approved Applicators Network to support the Interpon D Global Warranty Program. This program is designed to ensure the Interpon powder coating you choose is applied correctly, meeting Interpon Powder Coatings warranty requirements to local and international standards. To view all Interpon D Approved Applicators please **visit [www.specifyinterpon.com.au](http://www.specifyinterpon.com.au)**.

For more information or to become and Interpon D approved applicator please speak with your Interpon technical representative.

## Color Freedom

AkzoNobel values the importance of color and finish in your design and understands that color expression is an extension of your project. Why not take advantage of our made-to-order color service. For smaller projects down to 20kg, **Interpon MiniB™** and **Interpon MiniB™ Micro** provides fast service on small batch made-to-order colors that are specific to your needs. Some conditions do apply such as choice of color and product. Please contact the Interpon Customer Care Team for additional advice.

## How to Specify Interpon Powder Coatings

Once you have chosen **Interpon** Powder Coatings for your project, it's important to use the correct product. So we make specifying **Interpon** powder coatings easy. Simply:




- a.** Nominate the **Interpon** product. e.g. **Interpon D1000**.
- b.** Nominate the color, finish and product code. e.g. Anodic Natural Matt GY235A.

To find your nearest **Interpon** applicator, please contact your **Interpon** representative or the **Interpon** Customer Care Team.

# Exterior Durable Color Range

## Interpon Excel™

Degassing technology provides smoother films over porous substrates. Features COLORBOND® steel standard color range.

|                                                                                    |                                                                                     |                                                                                      |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |
| <b>Excel™ Pearl White®</b><br>Gloss GA029A                                         | <b>Excel™ Domain®</b><br>Matt GD230A                                                | <b>Excel™ Primrose</b><br>Gloss GD031A                                               | <b>Excel™ Classic Cream®</b><br>Matt GD245A <a href="#">Satin</a> GU145A              |
|    |    |    |    |
| <b>Excel™ Surfmist®</b><br>Matt GA236A <a href="#">Satin</a> GB136A                | <b>Excel™ Evening Haze®</b><br>Matt GM235A <a href="#">Satin</a> GT135A             | <b>Excel™ Shale Grey®</b><br>Matt GL284A <a href="#">Satin</a> GP184A                | <b>Excel™ Dune®</b><br>Matt GL252A <a href="#">Satin</a> GP152A                       |
|    |    |    |    |
| <b>Excel™ Harvest®</b><br>Matt GD215A                                              | <b>Excel™ Paperbark®</b><br>Matt GD214A <a href="#">Satin</a> GU114A                | <b>Excel™ Gully™</b><br>Matt GM242A                                                  | <b>Excel™ Jasper®</b><br>Matt GM214A <a href="#">Satin</a> GT114A                     |
|    |    |    |    |
| <b>Excel™ Headland®</b><br><a href="#">Satin</a> GV119A                            | <b>Excel™ Manor Red®</b><br>Matt GG262A <a href="#">Satin</a> GV162A                | <b>Excel™ Terrain™</b><br>Matt GM243A <a href="#">Satin</a> GM143A                   | <b>Excel™ Woodland Grey®</b><br>Matt GL205A <a href="#">Satin</a> GP105A              |
|  |  |  |  |
| <b>Excel™ Riversand®</b><br>Matt GM204A                                            | <b>Excel™ Windspray®</b><br>Matt GL266A <a href="#">Satin</a> GP166A                | <b>Excel™ Basalt™</b><br>Matt GP208A <a href="#">Satin</a> GP108A                    | <b>Excel™ Ironstone®</b><br>Matt GL236A <a href="#">Satin</a> GP136A                  |
|  |  |  |  |
| <b>Excel™ Bushland®</b><br>Matt GK203A <a href="#">Satin</a> GS103A                | <b>Excel™ Wallaby™</b><br>Matt GL210A <a href="#">Satin</a> GL111A                  | <b>Excel™ Deep Ocean®</b><br>Matt GJ203A <a href="#">Satin</a> GQ103A                | <b>Excel™ Monument®</b><br>Matt GL229A <a href="#">Satin</a> GP129A                   |
|  |  |  |  |
| <b>Excel™ Cove™</b><br>Matt GD274A                                                 | <b>Excel™ Pale Eucalypt®</b><br>Matt GK236A <a href="#">Satin</a> GS136A            | <b>Excel™ Wilderness®</b><br>Matt GK289A <a href="#">Satin</a> GS189A                | <b>Excel™ Mangrove™</b><br>Matt GK277A                                                |
|  |  |  |  |
| <b>Excel™ Cottage Green®</b><br>Matt GK274A <a href="#">Satin</a> GS174A           | <b>Excel™ Hawthorn Green</b><br>Gloss GK030A                                        | <b>Excel™ Heritage Green</b><br>Gloss GK044A                                         | <b>Excel™ Charcoal</b><br>Gloss GL035A <a href="#">Satin</a> GL180A                   |
|  |                                                                                     |                                                                                      |                                                                                       |
| <b>Excel™ Night Sky®</b><br>Matt GN231A <a href="#">Satin</a> GN121A               |                                                                                     |                                                                                      |                                                                                       |

## Interpon Flat Matt

Interpon's next generation smooth low gloss 'anodised look' powder coatings.

|                                                                                     |                                                                                      |                                                                                       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |
| <b>Natural Shimmer</b><br>Flat Matt GY21AA                                          | <b>Dark Bronze</b><br>Flat Matt GY20BA                                               | <b>Black Ink</b><br>Flat Matt GN21BA                                                  |

# Interpon Living Series

A classic range of local favourites in subtle and neutral shades.




**Bright White**  
Gloss GA030A




**White Satin**  
Satin GA124A




**Pearl White**  
Gloss GA078A




**Classic Pearl White**  
Gloss GA073A




**Shoji White**  
Satin GA160A



**White Birch**  
Gloss GA057A




**Off White**  
Matt GA211A




**Oyster Grey**  
Matt GL258A



**APO Grey**  
Satin GL107A



**Primrose**  
Gloss GD037A




**Magnolia**  
Gloss GD025A




**Almond Ivory**  
Gloss GD016A



**Doeskin**  
Satin GD188A



**Rivergum**  
Gloss GD042A



**Barley**  
Gloss GD007A



**Stone Beige**  
Matt GD247A




**Pottery**  
Satin GM175A



**Storm Grey N42**  
Gloss GL060A



**Olde Pewter**  
Satin GL175A




**Claret**  
Satin GG142A



**Transformer Grey**  
Gloss GL031A



**Notre Dame**  
Gloss GL040A



**Hammersley Brown**  
Satin GM100A



**Coral Black**  
Gloss GN063A



**Custom Black**  
Matt GN248A



**Black Satin**  
Satin GN150A

# Interpon Vivica™

A soft metallic finish, providing luxury and richness with its timeless pearlescent lustre.



**Vivica™ Mercury Silver**  
Gloss GW003K



**Vivica™ Citi®**  
Matt GL211A



**Vivica™ Ultra Silver**  
Gloss GY070A



**Vivica™ Nobel Silver Pearl**  
Satin GY119A



**Vivica™ Palladium Silver Pearl**  
Satin GY184C



**Vivica™ Asteroid Pearl**  
Matt GY270A



**Vivica™ Storm Front**  
Matt GL249A



**Vivica™ Black Onyx**  
Gloss GY042A



**Vivica™ Charcoal Pearl**  
Matt GY237A



**Vivica™ Charcoal Metallic**  
Gloss GM019A



## Interpon Color Vitality

Bright, vibrant and **UV stable**, perfect for providing a dramatic visual.



**Brilliant Yellow**  
Gloss GE087A



**Lycra Strip**  
Gloss GK063A



**Sensation**  
Gloss GF049A



**Lobster**  
Satin GG155A



**Viper Green**  
Gloss GK051A



**Shamrock Green**  
Gloss GK043A




**Bondi Blue**  
Gloss GJ045A




**Jaybird**  
Satin GJ174A

## Interpon Textura®

Unique fine texture finish designed to reduce marring and scuffing.



**Textura® White**  
Texture GA330A



**Textura® Surfmist**  
Texture GA336A



**Textura® Primrose**  
Texture GD331A



**Textura® Paperbark**  
Texture GD314A



**Textura® Dune**  
Texture GL352A



**Textura® Silver**  
Texture GY35LA



**Textura® Ironstone**  
Texture GL336A



**Textura® Deep Ocean**  
Texture GJ301A



**Textura® Jasper**  
Texture GM314A



**Textura® Woodland Grey**  
Texture GL333A



**Textura® Monument**  
Texture GL329A



**Textura® Black**  
Texture GN305A

## Interpon Anodic

Soft metallic tones, ideal when seeking alternative coatings to anodising.



**Anodic Natural**  
Matt GY235A



**Anodic Champagne**  
Matt GY276A



**Anodic Bronze**  
Satin GY114A



**Anodic Dark Grey**  
Matt GL213A

## Interpon Sablé™

A novel sandy appearance offering enhanced surface scruff resistance.



**Sablé™ Asteroid**  
Texture GN271A



**Sablé™ Core Ten**  
Texture GX350A



**Sablé™ Bass**  
Texture GN297A



**Sablé™ Black**  
Texture GN341A

# Interior Color Range

## Interpon Color Energy

A collection of striking colors to accent modern features.

|                                                                                                                          |                                                                                                                             |                                                                                                                          |                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <br><b>Lemon Yellow</b><br>Gloss ME068A  | <br><b>Flame Red</b><br>Gloss MG071A       | <br><b>Blaze Blue</b><br>Gloss MJ034A  | <br><b>Orange X15</b><br>Gloss MF035A |
| <br><b>Yellow Gold</b><br>Gloss ME038A   | <br><b>Signal Red</b><br>Gloss MG036A      | <br><b>French Blue</b><br>Gloss MJ067A | <br><b>Deep Pool</b><br>Satin MK002A  |
| <br><b>Safety Yellow</b><br>Gloss ME096A | <br><b>Safety Yellow</b><br>Texture ME396A | <br><b>Space Blue</b><br>Gloss MJ008A  | <br><b>Lawn Green</b><br>Gloss MK038A |

## Interpon Ripple

A distinctive course texture effect which also allows masking of substrate surface defects.

|                                                                                                                                |                                                                                                                               |                                                                                                                               |                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <br><b>Ripple White</b><br>Gloss MA494A       | <br><b>Ripple RAL 7035</b><br>Gloss ML435A  | <br><b>Ripple APO Grey</b><br>Gloss ML463A | <br><b>Ripple Graphite</b><br>Matt EY422A   |
| <br><b>Ripple X15 Orange</b><br>Gloss MF406A | <br><b>Ripple RAL 7032</b><br>Gloss MP476A | <br><b>Ripple Black</b><br>Gloss MN427A   | <br><b>Hammer Mystique</b><br>Gloss MW415C |

## Interpon Protective Primer

Cost effective substrate protection. Interpon top-coat required to complete the system.

|                                                                                                                          |                                                                                                                      |                                                                                                                                |                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <br><b>PZ560 Zinc</b><br>Primer BL103K | <br><b>PZ790</b><br>Primer AL290F | <br><b>MetaPrep™ Grey</b><br>Primer EL286A | <br><b>Bright Silver</b><br>Matt MW201T |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|

## Interpon Clears



**Easy Clean Clear**  
Gloss UZ607I

-  Not recommended for use where high UV exposure is likely
-  For internal use only
-  For General Industrial Range
-  Are recommended to be over coated with Interpon 810 Clear powder coating for exterior use or aggressive internal applications

## AUSTRALIA

e: salesoz@interpon.com

Tel: 1800 630 516

Fax: 1800 650 786



green building council australia  
MEMBER 2017-2018

S-P-00692 EPD®  
environdec.com

[www.interpon.com.au](http://www.interpon.com.au)

[www.specifyinterpon.com.au](http://www.specifyinterpon.com.au)

EPD logo applies to D1000 and D1000 Excel™ only

## Care and Maintenance

Maintaining the integrity of your powder coated products is just like caring for your car – and is a smart way to protect your investment. Over time with exposure to the elements, powder coatings may show signs of weathering such as loss of gloss, chalking and slight color change. A simple regular clean will minimise the effects of weathering and will remove dirt, grime and other build-up detrimental to all powder coatings. The best method of cleaning is by regular washing of the coating using a solution of warm water and nonabrasive, pH neutral detergent solution. Surfaces should be thoroughly rinsed after cleaning to remove all residues. All surfaces should be cleaned using a soft cloth, sponge or a soft natural bristle brush.

| Category (AS4312) | Corrosivity Level | Environment Type                  | Required Cleaning* |
|-------------------|-------------------|-----------------------------------|--------------------|
| C1 & C2           | Very Low & Low    | Non-hazardous Environment         | Every 12 months    |
| C3/T              | Medium            | Tropical Environment              | Every 12 months    |
| C4                | High              | Swimming Pools / Light Industrial | Every 6 months     |
| C4                | High              | Coastal Environment               | Every 6 months     |
| C5-M              | Very High         | Beach Front / Marine              | Every 3 months     |
| C5-I              | Very High         | Heavy Industrial Environment      | Every 3 months     |

\*Refer Interpon Powder Coatings – Care and Maintenance sheet for further details.



### Disclaimer

Unless otherwise agreed by us in writing, any contract to purchase products referred to in this color card and any advice that we give in connection with the supply of products are subject to our standard conditions of sale. Typical end uses for Interpon products are displayed in this publication using actual projects and representative images.

AkzoNobel endeavours to ensure the information contained in this publication is correct at the time of printing. All products referred to and any technical advice provided is subject to the standard terms and conditions of sale of the AkzoNobel supplying company.

Interpon® and Textura® are registered trademarks of AkzoNobel Pty Ltd. Sablé,™ MiniB,™ Vivica,™ Excel™ and MetaPrep™ are trademarks of AkzoNobel Pty Ltd. COLORBOND® and ® color names are registered trademarks of BlueScope Steel Limited.™ color names are trademarks of BlueScope Steel Limited. Over time performance may vary between COLORBOND® steel and Interpon Powder Coatings due to the different paint technologies used.

© Copyright 2017 AkzoNobel Pty Limited ABN 59 000 119 424. Printed February 2018. 00054\_050218

# Interpon®



## Interpon D2015: Ultriva™ Commercial Collection



## Stock Colors

# Contemporary Metro

Time tested and urban neutral; subtle hues complement the design nature of the modern day metropolis with understated pearl finishes and contemporary tones.




**Pearl White**  
Matt YA278A   
RGB 249, 255, 255 LRV 89%



**Ebony**  
Matt YN201A   
RGB 49, 54, 51 LRV 4%



**Sablé™ Core Ten™**  
Texture YX350A  
RGB 87, 68, 55 LRV 7%



**Citi® Pearl**  
Matt YY245A   
RGB 180, 184, 180 LRV 43%



**Champagne Pearl**  
Matt YY276A   
RGB 178, 180, 172 LRV 41%



**Anodic Natural**  
Matt YY223A   
RGB 175, 180, 175 LRV 41%



**Précis™ Natural Shimmer**  
Matt YY25AA  
RGB 186, 190, 189 LRV 46%




**Luxe Bronze Pearl**  
Matt YY255A   
RGB 173, 164, 144 LRV 36%



**Précis™ Pure Gold**  
Matt YY22BA  
RGB 169, 141, 95 LRV 27%



**Précis™ Dark Bronze**  
Matt YY20BA  
RGB 67, 65, 56 LRV 6%



**Précis™ Black Ink**  
Matt YN21BA  
RGB 48, 53, 51 LRV 4%



**Monument®**  
Matt YL264A   
RGB 62, 59, 56 LRV 8%




**Bronze Pearl**  
Matt YY225A  
RGB 77, 71, 56 LRV 8%



**Sablé™ Medium Bronze**  
Texture YY366A  
RGB 84, 80, 64 LRV 9%




**Eternal Silver**  
Satin YW100C  
RGB 149, 154, 161 LRV 30%



**Sablé™ Brilliance**  
Texture YY377A  
RGB 98, 102, 99 LRV 15%



**Titanium Pearl**  
Matt YY263A   
RGB 97, 101, 96 LRV 13%



**Asteroid Pearl**  
Matt YY270A   
RGB 91, 92, 84 LRV 11%



**Sablé™ Bass**  
Texture YY397A  
RGB 70, 77, 74 LRV 8%



**Charcoal**  
Matt YL238A   
RGB 60, 67, 69 LRV 6%



**Charcoal Pearl**  
Matt YY237A   
RGB 63, 65, 62 LRV 6%





## Stock Colors

# Color Vitality

An effervescent range saturated with color, each vying to make a splash on our cities. A search for color, life and glamorous performance to provide a refreshing addition to an ordinary day.



**Lobster**  
Satin YG154A  
RGB 165, 56, 45 LRV 12%



**Sensation**  
Gloss YF049A  
RGB 222, 106, 49 LRV 75%



**Brilliant Yellow**  
Gloss YE087A  
RGB 245, 223, 61 LRV 66%



**Lycra Strip**  
Gloss YK063A  
RGB 200, 217, 84 LRV 53%



**Viper Green**  
Gloss YK051A  
RGB 104, 160, 72 LRV 27%



**Shamrock**  
Gloss YK043A  
RGB 71, 110, 64 LRV 13%



**Bondi Blue**  
Gloss YJ046A  
RGB 48, 131, 193 LRV 20%



**Jaybird**  
Satin YJ175A  
RGB 27, 97, 147 LRV 11%



AAMA2604-13

## Global Warranty

Interpon D architectural powder coatings are performance guaranteed with a full global warranty when applied to aluminum by an Interpon D Approved Applicator.

Interpon D Approved Applicators are assessed and selected on our extensive evaluation process ensuring the most stringent criteria is met to guarantee the application of our powder coatings are in accordance with global industry standards.

Interpon D2015 Ultriva features guaranteed 20 Years film performance and 15 Years color retention ensuring your project maintains it's aesthetic and functional value.

For a complete list of Interpon D Approved Applicators contact the Interpon Customer Care Team or go to [www.interpon.com.au](http://www.interpon.com.au) for Australian Approved Applicators or [www.interpon.co.nz](http://www.interpon.co.nz) for New Zealand Approved Applicators.

Colors displayed on this color card are a guide only. We recommend that you use production line prepared samples for final color selection or approval.

■ Color is available in D3020 technology



**AUSTRALIA**  
e: salesoz@interpon.com  
www.interpon.com.au  
www.specifyinterpon.com.au

Tel: 1800 630 516  
Fax: 1800 650 786

**NEW ZEALAND**  
e: salesnz@interpon.com  
www.interpon.co.nz

Tel: 0800 150 527  
Fax: 0800 809 679



green building council australia  
MEMBER 2016-2017



## Interpon D2015 Ultriva: Ultra durable performance for all architectural projects

Whether making a statement with color, searching for quality, or satisfying durability requirements **Interpon D2015 Ultriva** meets the needs of the most demanding projects. Developed specifically for architectural components the range is ideal for both exterior and interior aluminum applications from curtain wall extrusions to balustrades and louver systems.

Providing ultra protection from the elements the range exceeds global weathering standard AAMA2604-13, guaranteeing excellent color retention and high resistance to chalking. Exceptional endurance to environmental stressors including high levels of UV radiation, humidity, heavy pollutants and extreme temperatures are achieved through ultra durable polymer technology engineered to withstand the weathering extremes of Australia and New Zealand.

Guaranteed up to 20 Years Gold Global Warranty\* the **Interpon D2015 Ultriva** range is perfect for pre-formed aluminum components such as curtain wall extrusions and panels, window and door systems, balustrades, exterior lighting fixtures, fencing and other aluminum sections.

## Custom Made Colors: Guaranteeing your color freedom

Featuring pearl, metallic, textured, matt, and high gloss finishes this collection aims to inspire your world of color without limitation.

Once you've found the perfect color take advantage of our industry leading color match service. Capable of matching nearly every conceivable color from almost any source, Akzo Nobel offers a rapid service, ensuring the right color for your project, fast.

Furthermore, no project is too small for our capability with both custom and ex-stock colors available in quantities as small as 20kg (coats approximately 140m<sup>2</sup>) available through our **MiniB™** and **MiniB Micro** services.

To place your order for a custom made color, contact our Customer Service Centre on 1800 630 516.

## Sustainability

Our entire range of Interpon D architectural powder coatings produce minimal product waste, low emissions and contain no volatile organic compounds (VOC's) or toxic heavy metals.

Solvent free and recyclable, our powder coatings offer an environmentally sustainable and cost effective option to alternatives such as liquid paints.

## GBCA Green Star Credits

Our complete Interpon D range of architectural powder coatings are eligible for several GBCA green star credits, please consult the applicable product technical datasheet or contact the Interpon Customer Care team for more details.

## Upgrade to Interpon D3020 Fluoromax®

When unparalleled premium performance is a must for your project, Interpon D3020 Fluoromax based on Fluorocarbon technology is the product of choice. Meeting AAMA2605-13 specification Interpon D3020 Fluoromax offers premium color and gloss retention with superior weathering performance. A viable cost effective and environmentally conscious alternative to liquid fluorocarbon paints can be achieved without compromise.

## How to Specify Interpon Powder Coatings

Once you have chosen Interpon Powder Coatings, it's important to specify the correct product. We make specifying our powder coatings easy, simply:

1. Nominate the Interpon product,  
e.g. Interpon D2015 Ultriva
2. Nominate the color, finish and product code,  
e.g. Charcoal Pearl Matt YY237A

Please contact the Interpon Customer Care Team for additional specification support and advice.

# Interpon®

AkzoNobel endeavours to ensure the information contained in this publication is correct at the time of printing. All products referred to and any technical advice provided is subject to the standard terms and conditions of sale of the AkzoNobel supplying company.

\* Warranty applies only to aluminum when coated by an Interpon D Approved Applicator. Terms and conditions apply. Contact your Interpon representative for further details.

Interpon® and Fluoromax® are registered trademarks of AkzoNobel International BV. Precis™, Ultriva™, Sablé™, Core Ten™, and MiniB™ are trademarks of AkzoNobel Pty Limited

Copyright©2016 Akzo Nobel Powder Coatings Ltd. Interpon is a registered trademark of AkzoNobel. Issue 2 – 12/2016. Printed in New Zealand